

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Physical education and physical activity	64.0	56.0 - 71.3	85	65.7	59.0 - 71.8	126	-	-	17	65.8	61.0 - 70.4	228
b. Nutrition	61.5	53.6 - 68.9	85	57.8	50.8 - 64.6	126	-	-	17	60.6	55.6 - 65.5	228
c. Tobacco-use prevention	61.7	53.1 - 69.6	85	60.6	54.0 - 66.7	125	-	-	17	62.2	57.2 - 66.9	227
d. Alcohol- and other drug-use prevention	63.0	54.5 - 70.7	85	59.6	52.9 - 65.9	124	-	-	17	62.1	57.1 - 66.9	226
e. Chronic health conditions (e.g., asthma, food allergies)	47.5	39.7 - 55.5	85	41.9	35.2 - 48.8	124	-	-	17	45.3	40.4 - 50.3	226
f. Unintentional injury and violence prevention (safety)	50.1	42.0 - 58.1	85	48.3	41.6 - 55.0	124	-	-	17	49.8	44.8 - 54.8	226
g. Sexual health, including HIV, other STD, and pregnancy prevention	53.9	46.0 - 61.6	85	39.7	33.0 - 46.9	121	-	-	17	46.2	41.3 - 51.2	223

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

2. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Reviewed district's local wellness policy	93.9	88.7 - 96.9	88	86.7	82.5 - 90.0	130	-	-	18	89.6	86.6 - 91.9	236
b. Helped revise district's local wellness policy	57.5	49.8 - 64.9	87	49.0	42.8 - 55.3	130	-	-	18	53.8	49.1 - 58.5	235
c. Communicated to school staff about district's local wellness policy	77.7	71.1 - 83.2	87	77.5	71.7 - 82.4	130	-	-	18	78.4	74.4 - 82.0	235
d. Communicated to parents and families about district's local wellness policy	66.0	59.2 - 72.2	87	61.4	55.5 - 66.9	128	-	-	18	64.7	60.5 - 68.7	233
e. Communicated to students about district's local wellness policy	70.5	63.8 - 76.4	87	63.9	58.0 - 69.4	128	-	-	18	68.2	64.1 - 72.1	233
f. Measured school's compliance with district's local wellness policy	68.6	61.1 - 75.3	87	57.8	52.5 - 62.9	128	-	-	18	63.3	59.1 - 67.3	233
g. Developed an action plan that describes steps to meet requirements of district's local wellness policy	56.8	49.7 - 63.6	87	53.0	47.6 - 58.4	128	-	-	18	55.0	50.7 - 59.3	233

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
93.4	88.4 - 96.4	88	81.3	77.1 - 84.8	129	-	-	18	87.2	84.4 - 89.6	235

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that have one or more than one group (e.g., school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
60.4	54.0 - 66.6	87	44.6	38.0 - 51.3	130	-	-	18	53.0	48.4 - 57.5	235

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

5. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identified student health needs based on a review of relevant data	78.2	69.1 - 85.2	50	82.5	73.8 - 88.7	57	92.1	70.6 - 98.3	13	81.7	76.1 - 86.3	120
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	82.1	72.5 - 88.8	51	77.5	68.7 - 84.4	57	84.3	60.8 - 94.9	13	80.1	74.3 - 85.0	121
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	73.7	63.1 - 82.1	50	61.2	50.8 - 70.7	57	76.4	51.1 - 91.0	13	68.1	61.1 - 74.3	120
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	85.6	76.1 - 91.7	50	80.8	71.8 - 87.5	57	92.1	70.6 - 98.3	13	84.0	78.3 - 88.5	120
e. Reviewed health-related curricula or instructional materials	86.3	77.4 - 92.0	51	75.1	65.3 - 82.8	57	84.3	63.1 - 94.4	13	80.8	74.8 - 85.6	121

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that use the following types of security staff during the regular school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Security guards (private or school employees/contractors)	17.3	12.2 - 24.1	86	14.5	10.7 - 19.3	126	-	-	18	17.0	13.8 - 20.7	230
b. School resource officers (SROs)	88.1	81.5 - 92.6	86	81.3	75.8 - 85.8	128	-	-	18	81.4	77.4 - 84.8	232
c. Police officers other than SROs (i.e., county or local law enforcement)	15.0	9.9 - 21.9	84	23.8	19.4 - 28.8	126	-	-	18	20.9	17.4 - 24.8	228

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have taken any of the following actions related to before- or after-school programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Included before- or after-school settings as part of the School Improvement Plan	76.4	70.0 - 81.8	87	58.9	53.0 - 64.6	130	-	-	18	66.0	61.8 - 69.9	235
b. Encouraged before- or after-school program staff or leaders to participate in school health council, committee, or team meetings	58.7	50.3 - 66.7	85	50.1	43.9 - 56.3	130	-	-	18	54.0	49.2 - 58.8	233
c. Partnered with community-based organizations (e.g., Boys & Girls Clubs, YMCA, 4H Clubs) to provide students with before- or after-school programming	27.3	22.2 - 33.1	85	55.7	49.4 - 61.9	131	-	-	18	46.6	42.4 - 50.7	234

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
53.2	45.7 - 60.5	84	26.0	20.9 - 31.7	126	-	-	17	35.4	31.4 - 39.7	227

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

9. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	87.7	82.9 - 91.3	88	84.5	78.9 - 88.9	128	-	-	18	85.2	81.5 - 88.3	234
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	98.0	94.6 - 99.3	88	96.9	93.6 - 98.5	128	-	-	18	97.5	95.6 - 98.6	234
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	75.5	69.1 - 81.0	88	70.5	64.2 - 76.1	128	-	-	18	73.4	69.1 - 77.3	234
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	65.7	59.3 - 71.6	88	47.7	41.2 - 54.3	126	-	-	18	54.2	49.7 - 58.7	232
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	74.5	68.7 - 79.5	88	60.8	54.4 - 66.8	127	-	-	18	65.9	61.6 - 70.0	233

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
93.7	88.7 - 96.5	88	92.8	88.4 - 95.6	128	-	-	18	93.2	90.3 - 95.3	234

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
94.2	89.1 - 97.0	88	92.2	87.9 - 95.1	128	-	-	18	93.1	90.2 - 95.2	234

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
97.8	93.9 - 99.2	88	98.5	95.8 - 99.5	127	-	-	17	97.9	96.0 - 98.9	232

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

13. Percentage of schools that have written protocols for the following suicide prevention practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Assessing student suicide risk	98.8	94.9 - 99.7	88	96.9	93.7 - 98.5	128	-	-	18	97.8	95.9 - 98.9	234
b. Notifying parents when a student is at risk for suicide	98.8	94.9 - 99.7	88	97.7	94.7 - 99.0	128	-	-	18	98.3	96.4 - 99.2	234
c. Referring students at risk for suicide to mental health services	98.8	94.9 - 99.7	88	96.9	93.7 - 98.5	128	-	-	18	97.8	95.9 - 98.9	234
d. Responding to a suicide attempt at school	95.6	91.0 - 97.9	88	89.8	85.0 - 93.2	127	-	-	18	92.8	89.8 - 94.9	233
e. Supporting students returning to school after a suicide attempt	92.1	86.6 - 95.5	88	89.0	84.4 - 92.3	127	-	-	18	90.6	87.4 - 93.0	233
f. Responding to the death of a student or staff member from suicide	91.1	85.4 - 94.7	88	87.5	82.2 - 91.3	127	-	-	18	89.4	86.0 - 92.1	233

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

14. Percentage of schools that taught a required physical education course in each of the following grades.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Grade 6	§	§	§	76.3	69.8 - 81.7	115	-	-	13	77.8	71.9 - 82.8	128
b. Grade 7	§	§	§	76.7	70.8 - 81.8	126	-	-	18	76.8	71.4 - 81.4	144
c. Grade 8	§	§	§	74.2	68.2 - 79.4	125	-	-	18	75.9	70.4 - 80.7	143
d. Grade 9	95.3	90.4 - 97.7	85	-	-	0	-	-	18	96.1	92.0 - 98.1	103
e. Grade 10	29.2	22.6 - 36.9	86	§	§	§	-	-	17	30.1	24.0 - 37.1	103
f. Grade 11	29.2	22.6 - 36.9	86	§	§	§	-	-	17	30.1	24.0 - 37.1	103
g. Grade 12	30.4	23.5 - 38.3	86	§	§	§	-	-	17	31.1	24.8 - 38.2	103

\*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which any physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
86.2	79.9 - 90.8	87	69.9	63.6 - 75.5	128	-	-	18	76.2	72.0 - 80.0	233

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

16. Percentage of schools that engage in the following physical education practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Provide physical education teachers with a written physical education curriculum that aligns with national standards for physical education	86.4	80.5 - 90.8	88	80.4	74.6 - 85.2	132	-	-	18	82.8	78.9 - 86.2	238
b. Require physical education teachers to follow a written physical education curriculum	82.4	75.6 - 87.7	87	70.7	64.7 - 76.0	132	-	-	18	75.5	71.2 - 79.3	237
c. Allow the use of waivers, exemptions, or substitutions for physical education requirements for one grading period or longer	61.8	54.4 - 68.6	88	55.6	49.5 - 61.5	130	-	-	18	57.9	53.5 - 62.2	236
d. Allow teachers to exclude students from physical education to punish them for inappropriate behavior or failure to complete class work in another class	11.5	7.2 - 18.0	88	12.2	8.7 - 17.0	131	-	-	18	11.5	8.7 - 14.9	237
e. Require physical education teachers to be certified, licensed, or endorsed by the state in physical education	99.0	95.9 - 99.8	88	91.0	87.0 - 93.9	131	-	-	18	93.8	91.3 - 95.6	237
f. Limit physical education class sizes so that they are the same size as other subject areas	70.5	62.9 - 77.2	86	76.3	70.4 - 81.4	132	-	-	18	74.3	70.0 - 78.2	236
g. Have a dedicated budget for physical education materials and equipment	92.4	87.0 - 95.6	88	79.7	73.8 - 84.6	132	-	-	18	83.0	79.1 - 86.4	238
h. Provide adapted physical education (i.e., special courses separate from regular PE courses) for students with disabilities as appropriate	79.6	72.2 - 85.5	88	72.5	66.4 - 77.9	132	-	-	18	74.8	70.3 - 78.7	238
i. Include students with disabilities in regular physical education courses as appropriate	99.0	95.9 - 99.8	88	98.5	96.0 - 99.5	132	-	-	18	98.4	96.7 - 99.2	238

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which students participate in physical activity in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
45.5	38.4 - 52.7	88	57.2	51.8 - 62.5	132	-	-	18	53.3	49.1 - 57.4	238

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

18. Percentage of schools that offer opportunities for all students to be physically active during the school day, such as recess, lunchtime intramural activities, or physical activity clubs.\*

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
29.7	22.5 - 38.1	86	62.2	57.1 - 67.0	132	-	-	18	50.8	46.7 - 54.8	236

\*Not including physical education and classroom physical activity.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
70.0	62.3 - 76.6	86	87.0	82.4 - 90.5	131	-	-	18	80.0	76.1 - 83.5	235

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Before the school day	53.7	45.8 - 61.3	88	20.4	16.1 - 25.7	132	-	-	18	33.7	29.7 - 38.1	238
b. After the school day	78.4	71.2 - 84.2	88	82.4	76.7 - 86.9	132	-	-	18	81.8	77.7 - 85.2	238

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical activity or sports facilities	50.4	43.8 - 57.0	88	52.0	46.0 - 57.9	131	-	-	18	51.6	47.2 - 56.0	237
b. Kitchen facilities and equipment	20.7	15.3 - 27.4	88	12.8	9.4 - 17.3	132	-	-	18	16.4	13.4 - 20.1	238
c. Gardens (e.g., herb or vegetable plots)	18.3	12.9 - 25.3	88	9.8	7.0 - 13.6	132	-	-	18	13.1	10.3 - 16.4	238

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have a written plan for providing opportunities for students to be physically active before, during, and after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
31.2	25.1 - 37.9	88	30.3	25.8 - 35.2	131	-	-	18	29.9	26.4 - 33.8	237

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that have assessed opportunities available to students to be physically active before, during, or after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
41.6	34.0 - 49.5	88	46.5	40.4 - 52.7	131	-	-	18	45.8	41.1 - 50.5	237

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

24. Percentage of schools that have adopted a policy prohibiting tobacco use.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	88	96.9	93.7 - 98.5	131	-	-	18	97.9	95.9 - 98.9	237

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

25A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Cigarettes	99.0	95.8 - 99.8	85	96.8	93.4 - 98.4	125	94.0	77.1 - 98.6	17	97.4	95.3 - 98.6	227
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	99.0	95.8 - 99.8	85	96.8	93.4 - 98.4	125	94.0	77.1 - 98.6	17	97.4	95.3 - 98.6	227
c. Cigars	94.4	89.5 - 97.1	85	93.6	89.5 - 96.2	125	94.0	77.1 - 98.6	17	94.0	91.2 - 95.9	227
d. Pipes	93.4	88.2 - 96.4	85	94.4	90.5 - 96.8	125	94.0	77.1 - 98.6	17	94.0	91.2 - 95.9	227
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	99.0	95.7 - 99.8	84	95.9	92.4 - 97.9	125	94.0	77.1 - 98.6	17	96.9	94.7 - 98.2	226

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

25B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	99.0	95.7 - 99.8	84	95.1	91.3 - 97.3	125	87.2	69.4 - 95.3	16	96.0	93.6 - 97.5	225
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	99.0	95.7 - 99.8	84	94.3	90.3 - 96.7	124	87.2	69.4 - 95.3	16	95.6	93.1 - 97.2	224
c. Cigars	94.3	89.3 - 97.1	84	92.0	87.5 - 95.0	124	87.2	69.4 - 95.3	16	92.5	89.5 - 94.8	224
d. Pipes	93.3	88.1 - 96.3	84	92.8	88.4 - 95.6	124	87.2	69.4 - 95.3	16	92.6	89.5 - 94.8	224
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	99.0	95.7 - 99.8	83	94.2	90.2 - 96.7	123	87.2	69.4 - 95.3	16	95.5	93.0 - 97.2	222

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

25C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	99.0	95.7 - 99.8	84	94.3	90.2 - 96.7	124	87.2	69.4 - 95.3	16	95.5	93.0 - 97.2	224
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	97.7	93.7 - 99.2	84	92.6	88.2 - 95.5	123	80.8	61.4 - 91.8	16	93.7	90.8 - 95.7	223
c. Cigars	94.3	89.3 - 97.1	84	91.9	87.3 - 94.9	123	87.2	69.4 - 95.3	16	92.5	89.4 - 94.7	223
d. Pipes	93.3	88.1 - 96.3	84	91.9	87.3 - 94.9	123	87.2	69.4 - 95.3	16	92.1	88.9 - 94.4	223
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	99.0	95.7 - 99.8	83	92.5	88.1 - 95.4	122	80.8	61.4 - 91.8	16	94.1	91.3 - 96.1	221

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

26A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	100.0	†	85	96.8	93.4 - 98.4	125	94.0	77.1 - 98.6	17	97.8	95.8 - 98.8	227
b. During non-school hours	92.6	86.8 - 95.9	84	95.1	92.1 - 96.9	124	88.0	69.6 - 95.9	17	93.6	90.9 - 95.5	225

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

26B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	100.0	†	84	95.9	92.3 - 97.9	124	87.2	69.4 - 95.3	16	96.8	94.6 - 98.2	224
b. During non-school hours	91.4	85.4 - 95.1	83	88.6	83.9 - 92.0	123	80.8	61.4 - 91.8	16	89.1	85.7 - 91.8	222

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

26C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. During school hours	98.7	94.7 - 99.7	84	94.3	90.2 - 96.7	124	80.8	61.4 - 91.8	16	95.0	92.3 - 96.8	224
b. During non-school hours	89.1	83.7 - 92.9	83	88.6	83.9 - 92.0	123	80.8	61.4 - 91.8	16	88.2	84.8 - 90.9	222

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

27A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	100.0	†	84	96.7	93.3 - 98.4	124	93.6	76.0 - 98.6	16	97.7	95.7 - 98.8	224
b. Outside on school grounds, including parking lots and playing fields	100.0	†	84	95.9	92.3 - 97.9	123	93.6	76.0 - 98.6	16	97.3	95.2 - 98.5	223
c. On school buses or other vehicles used to transport students	100.0	†	84	96.7	93.3 - 98.4	124	93.6	76.0 - 98.6	16	97.7	95.7 - 98.8	224
d. At off-campus, school-sponsored events	95.1	90.1 - 97.7	84	94.3	90.3 - 96.8	124	93.6	76.0 - 98.6	16	94.6	91.8 - 96.5	224

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

27B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	100.0	†	83	96.7	93.3 - 98.4	124	93.2	74.5 - 98.5	15	97.7	95.7 - 98.8	222
b. Outside on school grounds, including parking lots and playing fields	100.0	†	83	93.4	89.1 - 96.0	122	86.4	67.9 - 95.0	15	95.4	92.8 - 97.1	220
c. On school buses or other vehicles used to transport students	100.0	†	83	96.7	93.3 - 98.4	123	93.2	74.5 - 98.5	15	97.7	95.7 - 98.8	221
d. At off-campus, school-sponsored events	86.7	80.7 - 91.1	83	85.9	80.2 - 90.1	121	79.6	59.5 - 91.2	15	85.8	81.9 - 88.9	219

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

27C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	100.0	†	83	94.2	90.1 - 96.6	123	93.2	74.5 - 98.5	15	96.3	93.9 - 97.8	221
b. Outside on school grounds, including parking lots and playing fields	96.4	91.8 - 98.4	83	89.2	84.2 - 92.8	122	79.6	59.5 - 91.2	15	91.3	88.0 - 93.7	220
c. On school buses or other vehicles used to transport students	98.7	94.6 - 99.7	83	94.1	90.1 - 96.6	122	79.6	57.8 - 91.8	15	94.9	92.2 - 96.7	220
d. At off-campus, school-sponsored events	73.9	68.2 - 78.9	83	72.4	65.5 - 78.4	120	60.2	37.5 - 79.2	15	72.2	67.6 - 76.3	218

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

27N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
64.5	57.9 - 70.6	83	66.3	59.4 - 72.6	119	53.4	30.4 - 75.1	15	64.8	60.0 - 69.3	217

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

TOBVAP. Percentage of schools that follow a policy that mandates a "tobacco-free environment" including prohibiting electronic vapor products (EVPs). A "tobacco-free environment" is one that prohibits tobacco and EVP use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
64.2	57.4 - 70.4	82	65.5	58.7 - 71.7	119	53.4	30.4 - 75.1	15	64.2	59.4 - 68.7	216

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

28\_1. (Never) Percentage of schools that never take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Issue a warning to the student	39.9	32.3 - 47.9	87	34.4	28.8 - 40.6	131	-	-	16	36.7	32.2 - 41.5	234
b. Confiscate product	0.0	†	89	0.7	0.2 - 3.1	132	-	-	17	0.4	0.1 - 1.7	238
c. Notify parents or guardians	0.0	†	88	0.0	†	131	-	-	17	0.0	†	236
d. Develop a behavior contract with the student	14.5	10.0 - 20.6	89	16.9	12.7 - 22.0	130	-	-	17	17.2	14.0 - 20.9	236
e. Refer to a school counselor	18.3	13.2 - 24.8	87	13.8	9.9 - 18.9	130	-	-	17	15.3	12.2 - 19.0	234
f. Refer to a school administrator	0.0	†	88	0.0	†	132	-	-	17	0.0	†	237
g. Refer to an assistance, education, or cessation program	11.6	7.2 - 18.0	88	16.7	12.9 - 21.2	132	-	-	16	14.4	11.6 - 17.9	236
h. Refer to legal authorities (e.g., school resource officer)	12.2	8.1 - 18.1	87	18.2	14.0 - 23.4	132	-	-	16	16.0	12.9 - 19.6	235
i. Issue an in-school suspension (half day or full day)	9.2	5.5 - 15.1	87	12.1	8.8 - 16.4	131	-	-	17	12.7	10.1 - 15.9	235
j. Issue an after-school or weekend detention	50.7	43.2 - 58.2	87	54.6	47.9 - 61.1	130	-	-	17	53.0	48.2 - 57.8	234
k. Issue an out-of-school suspension	21.7	15.4 - 29.7	88	15.1	11.2 - 20.0	132	-	-	17	17.3	13.9 - 21.4	237
l. Expel from school	86.5	80.4 - 91.0	88	78.2	72.9 - 82.8	132	-	-	17	80.3	76.5 - 83.7	237

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

28\_2. (Rarely) Percentage of schools that rarely take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Issue a warning to the student	5.7	3.5 - 9.1	87	4.6	2.8 - 7.3	131	-	-	16	4.7	3.3 - 6.5	234
b. Confiscate product	0.0	†	89	0.0	†	132	-	-	17	0.0	†	238
c. Notify parents or guardians	0.0	†	88	0.0	†	131	-	-	17	0.0	†	236
d. Develop a behavior contract with the student	27.7	20.9 - 35.8	89	13.2	9.7 - 17.9	130	-	-	17	18.6	15.1 - 22.6	236
e. Refer to a school counselor	24.1	18.3 - 31.1	87	3.8	2.0 - 7.2	130	-	-	17	12.4	9.7 - 15.6	234
f. Refer to a school administrator	2.1	0.8 - 5.8	88	0.0	†	132	-	-	17	0.8	0.3 - 2.2	237
g. Refer to an assistance, education, or cessation program	21.0	15.8 - 27.4	88	20.4	15.8 - 25.8	132	-	-	16	20.1	16.7 - 24.0	236
h. Refer to legal authorities (e.g., school resource officer)	24.0	17.4 - 32.0	87	26.4	21.7 - 31.7	132	-	-	16	26.3	22.5 - 30.5	235
i. Issue an in-school suspension (half day or full day)	6.9	3.8 - 12.3	87	6.1	3.6 - 10.0	131	-	-	17	6.8	4.7 - 9.7	235
j. Issue an after-school or weekend detention	20.0	14.6 - 26.7	87	11.6	7.9 - 16.6	130	-	-	17	14.8	11.7 - 18.5	234
k. Issue an out-of-school suspension	28.4	22.4 - 35.3	88	14.6	10.6 - 19.8	132	-	-	17	19.5	16.2 - 23.4	237
l. Expel from school	10.0	6.4 - 15.3	88	17.3	12.9 - 22.9	132	-	-	17	15.5	12.4 - 19.2	237

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

28\_3. (Sometimes) Percentage of schools that sometimes take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Issue a warning to the student	6.0	3.1 - 11.2	87	6.1	3.6 - 10.1	131	-	-	16	6.5	4.5 - 9.4	234
b. Confiscate product	1.0	0.2 - 4.1	89	0.7	0.2 - 3.1	132	-	-	17	0.8	0.3 - 2.1	238
c. Notify parents or guardians	7.5	4.3 - 12.9	88	2.4	1.0 - 5.4	131	-	-	17	4.1	2.6 - 6.5	236
d. Develop a behavior contract with the student	43.3	36.3 - 50.7	89	53.0	46.9 - 59.1	130	-	-	17	47.7	43.3 - 52.2	236
e. Refer to a school counselor	43.6	36.4 - 51.0	87	53.3	46.5 - 60.0	130	-	-	17	49.7	44.8 - 54.5	234
f. Refer to a school administrator	2.1	0.8 - 5.8	88	2.3	1.0 - 5.1	132	-	-	17	2.5	1.4 - 4.4	237
g. Refer to an assistance, education, or cessation program	49.1	40.9 - 57.3	88	42.6	36.2 - 49.3	132	-	-	16	46.0	41.1 - 51.0	236
h. Refer to legal authorities (e.g., school resource officer)	46.6	39.9 - 53.5	87	44.1	37.8 - 50.6	132	-	-	16	44.6	40.1 - 49.2	235
i. Issue an in-school suspension (half day or full day)	33.5	26.2 - 41.7	87	33.7	27.8 - 40.1	131	-	-	17	32.5	28.0 - 37.2	235
j. Issue an after-school or weekend detention	17.1	11.9 - 24.1	87	24.0	19.8 - 28.8	130	-	-	17	20.9	17.6 - 24.6	234
k. Issue an out-of-school suspension	38.7	31.0 - 47.1	88	44.7	37.8 - 51.8	132	-	-	17	41.8	36.8 - 46.9	237
l. Expel from school	1.2	0.3 - 5.1	88	2.2	1.0 - 5.1	132	-	-	17	2.1	1.1 - 4.0	237

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

28\_4. (Always or almost always) Percentage of schools that always or almost always take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Issue a warning to the student	48.4	40.9 - 56.1	87	54.9	48.8 - 60.9	131	-	-	16	52.1	47.4 - 56.7	234
b. Confiscate product	99.0	95.9 - 99.8	89	98.5	96.0 - 99.5	132	-	-	17	98.8	97.3 - 99.5	238
c. Notify parents or guardians	92.5	87.1 - 95.7	88	97.6	94.6 - 99.0	131	-	-	17	95.9	93.5 - 97.4	236
d. Develop a behavior contract with the student	14.4	9.8 - 20.8	89	16.9	12.9 - 21.8	130	-	-	17	16.5	13.4 - 20.1	236
e. Refer to a school counselor	14.0	9.1 - 21.0	87	29.1	23.4 - 35.5	130	-	-	17	22.7	18.8 - 27.1	234
f. Refer to a school administrator	95.7	91.3 - 97.9	88	97.7	94.9 - 99.0	132	-	-	17	96.7	94.6 - 98.0	237
g. Refer to an assistance, education, or cessation program	18.3	13.3 - 24.7	88	20.4	15.6 - 26.1	132	-	-	16	19.5	16.1 - 23.4	236
h. Refer to legal authorities (e.g., school resource officer)	17.2	11.8 - 24.5	87	11.2	7.7 - 16.1	132	-	-	16	13.1	10.1 - 16.8	235
i. Issue an in-school suspension (half day or full day)	50.4	42.7 - 58.0	87	48.2	41.6 - 54.9	131	-	-	17	48.0	43.2 - 52.9	235
j. Issue an after-school or weekend detention	12.2	7.6 - 18.9	87	9.9	6.6 - 14.6	130	-	-	17	11.3	8.5 - 14.9	234
k. Issue an out-of-school suspension	11.1	7.2 - 16.7	88	25.6	20.8 - 31.0	132	-	-	17	21.4	18.1 - 25.1	237
l. Expel from school	2.2	0.8 - 6.1	88	2.2	1.0 - 5.0	132	-	-	17	2.1	1.1 - 3.9	237

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Foods or beverages are not offered at school celebrations	3.4	1.5 - 7.7	89	5.2	3.6 - 7.5	132	-	-	18	4.2	2.9 - 6.0	239
b. Never	2.1	0.8 - 5.8	89	5.4	3.1 - 9.3	132	-	-	18	3.8	2.3 - 6.1	239
c. Rarely	14.5	9.9 - 20.8	89	22.2	17.4 - 28.0	132	-	-	18	19.3	15.9 - 23.4	239
d. Sometimes	51.3	43.3 - 59.2	89	45.3	39.4 - 51.4	132	-	-	18	49.1	44.4 - 53.8	239
e. Always or almost always	28.7	21.8 - 36.7	89	21.8	17.2 - 27.2	132	-	-	18	23.6	19.8 - 27.9	239

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
71.0	64.2 - 76.9	89	38.2	32.4 - 44.4	132	-	-	18	52.2	47.9 - 56.4	239

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	20.6	14.8 - 28.0	87	15.1	11.0 - 20.3	132	5.7	1.3 - 21.9	18	16.4	13.1 - 20.3	237
b. Other kinds of candy	21.6	15.6 - 29.1	87	18.0	13.7 - 23.4	132	16.4	6.8 - 34.7	18	19.2	15.7 - 23.3	237
c. Salty snacks that are not low in fat (e.g., regular potato chips)	23.4	17.2 - 30.9	86	16.6	12.3 - 22.1	132	6.1	1.4 - 23.1	17	18.4	14.9 - 22.4	235
d. Low sodium or "no added salt" pretzels, crackers, or chips	50.8	43.5 - 58.1	86	25.5	20.4 - 31.4	132	40.9	22.4 - 62.4	17	35.9	31.6 - 40.3	235
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	18.8	13.3 - 25.9	86	15.7	11.6 - 21.1	132	5.7	1.3 - 21.9	18	16.1	12.9 - 20.0	236
f. Ice cream or frozen yogurt that is not low in fat	9.5	5.6 - 15.5	87	9.8	6.5 - 14.4	132	11.4	3.9 - 29.0	18	9.8	7.2 - 13.1	237
g. 2% or whole milk (plain or flavored)	19.4	13.5 - 27.2	87	14.4	10.5 - 19.6	130	39.3	23.4 - 57.9	18	18.1	14.6 - 22.3	235
h. Nonfat or 1% (low-fat) milk (plain)	38.4	31.2 - 46.1	87	20.4	15.8 - 25.8	131	27.9	13.6 - 48.6	18	27.6	23.6 - 31.9	236
i. Water ices or frozen slushes that do not contain juice	13.5	8.8 - 20.3	87	11.2	8.1 - 15.4	131	17.2	7.1 - 36.1	18	12.5	9.8 - 16.0	236
j. Soda pop or fruit drinks that are not 100% juice	30.4	23.5 - 38.2	87	13.7	9.7 - 19.0	131	27.9	16.4 - 43.3	18	20.9	17.3 - 25.1	236
k. Sports drinks (e.g., Gatorade)	46.3	38.7 - 54.2	87	21.0	16.2 - 26.8	132	39.3	26.7 - 53.5	18	31.7	27.6 - 36.1	237
l. Energy drinks (e.g., Red Bull, Monster)	8.0	4.6 - 13.6	87	0.7	0.2 - 3.1	132	10.7	3.7 - 27.3	18	4.1	2.6 - 6.5	237

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	68.0	60.7 - 74.6	87	36.7	31.1 - 42.7	132	56.5	45.4 - 66.9	18	49.7	45.4 - 53.9	237
n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	49.5	42.4 - 56.6	87	15.7	11.9 - 20.3	132	28.6	16.6 - 44.6	18	29.1	25.5 - 32.9	237
o. 100% fruit or vegetable juice	41.6	34.4 - 49.2	87	20.9	16.1 - 26.7	132	28.6	16.6 - 44.6	18	29.1	25.1 - 33.4	237
p. Foods or beverages containing caffeine	32.7	25.8 - 40.4	86	9.0	5.9 - 13.6	132	16.4	6.8 - 34.7	18	18.2	14.9 - 22.0	236
q. Fruits (not fruit juice)	23.5	16.8 - 31.8	87	15.8	11.6 - 21.1	132	11.4	3.9 - 29.0	18	18.3	14.7 - 22.5	237
r. Non-fried vegetables (not vegetable juice)	15.3	10.1 - 22.5	86	10.5	7.3 - 14.8	132	5.7	1.3 - 21.9	18	11.9	9.1 - 15.4	236

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	8.1	4.6 - 13.8	88	6.2	3.7 - 10.2	131	-	-	18	8.1	5.9 - 11.0	237
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	40.6	32.6 - 49.2	88	25.5	20.8 - 31.0	129	-	-	18	33.9	29.6 - 38.4	235
c. Provided information to students or families on the nutrition and caloric content of foods available	59.1	53.3 - 64.8	87	55.6	49.6 - 61.6	131	-	-	18	57.3	53.1 - 61.5	236
d. Conducted taste tests to determine food preferences for nutritious items	29.7	23.0 - 37.5	89	25.5	20.3 - 31.4	130	-	-	18	27.7	23.5 - 32.2	237
e. Served locally or regionally grown foods in the cafeteria or classrooms	54.1	46.1 - 62.0	88	41.7	35.5 - 48.2	129	-	-	17	47.7	43.0 - 52.5	234
f. Planted a school food or vegetable garden	38.1	31.5 - 45.2	89	22.2	16.9 - 28.4	131	-	-	18	27.8	23.8 - 32.1	238
g. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	82.6	75.3 - 88.0	89	77.1	71.0 - 82.2	131	-	-	18	80.4	76.1 - 84.1	238
h. Used attractive displays for fruits and vegetables in the cafeteria	70.6	64.1 - 76.4	89	58.0	51.3 - 64.3	131	-	-	18	64.6	60.1 - 68.9	238
i. Offered a self-serve salad bar to students	19.7	14.4 - 26.4	88	13.9	10.0 - 19.0	130	-	-	18	16.3	13.2 - 20.0	236

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
j. Provided students with at least 20 minutes to eat lunch after they receive their meal	96.8	92.8 - 98.6	89	94.6	91.5 - 96.6	131	-	-	18	95.8	93.8 - 97.2	238
k. Encouraged students to drink plain water	86.8	80.7 - 91.1	89	91.5	87.1 - 94.6	130	-	-	18	90.4	87.2 - 92.8	237
l. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	31.5	24.1 - 40.0	89	30.2	25.0 - 36.0	131	-	-	18	31.7	27.5 - 36.4	238
m. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	27.5	21.2 - 34.9	89	30.3	24.7 - 36.6	131	-	-	18	29.5	25.3 - 34.1	238

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	59.7	52.7 - 66.4	88	69.6	63.7 - 74.9	132	-	-	17	65.6	61.3 - 69.7	237
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	39.6	32.4 - 47.4	88	59.6	54.1 - 65.0	132	-	-	17	51.8	47.4 - 56.1	237
c. On school buses or other vehicles used to transport students	74.5	67.4 - 80.5	88	73.4	67.8 - 78.3	132	-	-	17	74.1	70.0 - 77.8	237
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	57.6	49.6 - 65.2	87	64.2	58.3 - 69.7	132	-	-	17	60.6	56.0 - 64.9	236
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	58.8	50.3 - 66.7	88	67.0	61.2 - 72.3	131	-	-	17	63.8	59.0 - 68.2	236

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	90.8	86.0 - 94.1	87	95.5	92.0 - 97.5	132	-	-	17	93.2	90.6 - 95.2	236
b. Yes, in certain locations	8.2	5.2 - 12.8	87	3.7	1.9 - 7.0	132	-	-	17	6.0	4.2 - 8.5	236
c. No	1.0	0.2 - 4.2	87	0.8	0.2 - 3.2	132	-	-	17	0.8	0.3 - 2.2	236

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
99.0	95.8 - 99.8	87	99.2	96.8 - 99.8	132	-	-	17	99.2	97.8 - 99.7	236

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

35. Percentage of schools that offer a free source of drinking water in the following locations.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Cafeteria during breakfast	94.0	88.7 - 96.9	85	90.6	86.0 - 93.8	128	-	-	17	92.1	89.0 - 94.4	230
b. Cafeteria during lunch	97.5	93.3 - 99.1	85	91.4	86.9 - 94.4	128	-	-	17	93.8	91.0 - 95.8	230
c. Gymnasium or other indoor physical activity facilities	91.8	86.0 - 95.3	86	92.2	87.8 - 95.1	130	-	-	17	91.3	88.2 - 93.6	233
d. Outdoor physical activity facilities or sports fields	84.8	78.3 - 89.7	82	68.5	62.1 - 74.3	118	-	-	16	75.2	70.7 - 79.2	216
e. Hallways throughout the school	100.0	†	86	100.0	†	132	-	-	17	100.0	†	235

\*Among schools with that location.

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
77.6	71.3 - 82.9	87	84.2	78.9 - 88.4	132	-	-	17	82.9	79.2 - 86.0	236

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
28.9	22.8 - 36.0	87	26.7	21.3 - 32.9	130	-	-	16	28.6	24.6 - 33.1	233

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

38. Percentage of schools that have a school-based health center that offers health services to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
48.0	40.6 - 55.5	88	44.8	39.2 - 50.6	131	-	-	17	47.4	43.0 - 51.8	236

- Results are suppressed due to insufficient number of respondents in subgroup.  
 N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. HIV testing	3.4	1.4 - 7.6	88	2.3	1.0 - 5.3	129	-	-	17	3.3	2.0 - 5.5	234
b. HIV treatment (ongoing medical care for persons living with HIV)	4.3	2.1 - 8.7	88	1.5	0.5 - 4.2	130	-	-	17	2.4	1.3 - 4.4	235
c. STD testing	5.7	3.0 - 10.8	88	0.8	0.2 - 3.3	129	-	-	17	3.8	2.4 - 6.1	234
d. STD treatment	5.7	3.0 - 10.8	88	1.5	0.5 - 4.2	130	-	-	17	4.2	2.7 - 6.6	235
e. Pregnancy testing	12.4	7.9 - 18.9	88	4.6	2.5 - 8.2	129	-	-	17	8.9	6.4 - 12.1	234
f. Provision of condoms	5.7	2.9 - 10.7	88	1.5	0.5 - 4.2	130	-	-	17	4.2	2.6 - 6.6	235
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	4.7	2.2 - 9.5	88	1.5	0.5 - 4.2	130	-	-	17	3.0	1.7 - 5.1	235
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	5.7	3.0 - 10.8	88	3.0	1.5 - 6.2	130	-	-	17	5.1	3.3 - 7.6	235
i. Prenatal care	8.1	4.7 - 13.8	87	2.3	1.0 - 5.2	129	-	-	17	5.6	3.7 - 8.3	233
j. Human papillomavirus (HPV) vaccine administration	11.7	7.7 - 17.4	87	6.9	4.2 - 11.1	129	-	-	16	10.0	7.6 - 13.1	232
k. Assessment for alcohol or other drug use, abuse, or dependency	34.7	28.2 - 41.9	88	24.1	19.3 - 29.7	129	-	-	17	29.3	25.4 - 33.6	234

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
l. Tobacco-use cessation (e.g., individual or group counseling)	43.4	36.2 - 50.9	87	35.9	30.0 - 42.3	128	-	-	17	41.2	36.7 - 45.9	232
m. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	91.4	85.8 - 94.9	88	92.9	89.3 - 95.4	129	-	-	17	92.5	89.7 - 94.5	234
n. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	83.0	77.0 - 87.7	88	84.3	78.9 - 88.5	129	-	-	17	83.7	80.0 - 86.9	234
o. Case management for students with chronic health conditions (e.g., asthma, diabetes)	80.9	74.3 - 86.1	88	83.5	78.3 - 87.7	129	-	-	17	82.0	78.3 - 85.3	234

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. HIV testing	45.6	37.9 - 53.5	87	27.7	22.4 - 33.6	129	-	-	17	36.2	31.8 - 40.8	233
b. HIV treatment (ongoing medical care for persons living with HIV)	46.1	38.5 - 54.0	86	25.5	20.6 - 31.2	128	-	-	17	35.6	31.3 - 40.1	231
c. nPEP (non-occupational post-exposure prophylaxis for HIV—a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	43.3	35.4 - 51.6	87	24.7	19.9 - 30.3	128	-	-	17	33.4	29.0 - 38.0	232
d. PrEP (pre-exposure prophylaxis for HIV—medication taken daily to prevent HIV infection for those at substantial risk for HIV)	42.3	34.5 - 50.5	87	24.7	19.9 - 30.3	128	-	-	17	33.4	29.1 - 37.9	232
e. STD testing	45.6	37.9 - 53.5	87	29.5	23.9 - 35.7	128	-	-	17	37.6	33.1 - 42.3	232
f. STD treatment	46.8	39.3 - 54.5	87	28.7	23.2 - 34.8	128	-	-	17	37.6	33.2 - 42.3	232
g. Pregnancy testing	48.6	40.3 - 56.9	87	35.0	28.8 - 41.6	128	-	-	17	41.8	36.9 - 46.8	232
h. Provision of condoms	45.3	37.6 - 53.3	87	27.2	21.8 - 33.4	128	-	-	17	36.3	31.8 - 41.0	232
i. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	41.3	33.7 - 49.4	87	26.4	21.1 - 32.4	128	-	-	17	33.9	29.5 - 38.6	232
j. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	43.3	35.4 - 51.6	87	27.9	22.6 - 34.0	128	-	-	17	35.9	31.5 - 40.7	232

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
k. Prenatal care	49.1	41.5 - 56.6	87	31.0	25.3 - 37.4	128	-	-	17	39.8	35.2 - 44.5	232
l. Human papillomavirus (HPV) vaccine administration	45.8	38.2 - 53.7	87	29.4	24.1 - 35.4	128	-	-	17	37.7	33.3 - 42.3	232
m. Alcohol or other drug abuse treatment	61.3	54.6 - 67.7	87	56.4	50.0 - 62.6	128	-	-	17	59.3	54.8 - 63.6	232
n. Tobacco-use cessation (e.g., individual or group counseling)	63.8	57.0 - 70.1	87	60.4	54.0 - 66.4	128	-	-	17	62.0	57.5 - 66.3	232

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
64.0	55.7 - 71.5	84	71.2	65.1 - 76.5	121	-	-	17	68.9	64.2 - 73.2	222

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Asthma	98.8	95.0 - 99.7	89	99.3	96.9 - 99.8	130	-	-	18	99.1	97.6 - 99.7	237
b. Food allergies	97.7	93.6 - 99.2	89	99.3	96.9 - 99.8	130	-	-	18	98.7	97.0 - 99.4	237
c. Diabetes	98.8	95.0 - 99.7	89	99.3	96.9 - 99.8	130	-	-	18	99.1	97.6 - 99.7	237
d. Epilepsy or seizure disorder	98.8	95.0 - 99.7	89	99.3	96.9 - 99.8	130	-	-	18	99.1	97.6 - 99.7	237
e. Obesity	33.8	27.5 - 40.8	89	45.3	39.6 - 51.0	130	-	-	18	40.4	36.3 - 44.7	237
f. Hypertension/high blood pressure	61.9	55.1 - 68.2	89	68.3	62.8 - 73.4	130	-	-	18	65.8	61.6 - 69.7	237
g. Oral health condition (e.g., abscess, tooth decay)	38.8	32.5 - 45.4	89	64.5	58.0 - 70.5	130	-	-	17	55.2	50.7 - 59.6	236

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	59.8	52.0 - 67.1	88	60.4	53.6 - 66.7	129	-	-	17	60.0	55.1 - 64.7	234
b. Food allergies	58.8	51.2 - 66.0	88	59.6	53.0 - 65.9	129	-	-	17	59.2	54.4 - 63.9	234
c. Diabetes	59.8	52.0 - 67.1	88	60.4	53.6 - 66.7	129	-	-	17	60.0	55.1 - 64.7	234
d. Epilepsy or seizure disorder	58.7	51.1 - 65.8	88	60.4	53.6 - 66.7	129	-	-	17	59.6	54.7 - 64.3	234
e. Obesity	53.2	46.0 - 60.4	88	52.6	46.3 - 58.8	129	-	-	17	52.4	47.7 - 57.0	234
f. Hypertension/high blood pressure	56.5	49.0 - 63.6	88	58.0	51.6 - 64.1	129	-	-	17	57.4	52.7 - 62.0	234
g. Oral health condition (e.g., abscess, tooth decay)	60.9	53.3 - 68.0	88	65.1	58.5 - 71.2	129	-	-	17	63.0	58.2 - 67.6	234

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

44. Percentage of schools in which any staff received professional development on each of the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Basic sexual health overview including community-specific information about STD, HIV, and unplanned pregnancy rates and prevention strategies	34.8	28.7 - 41.5	89	23.3	18.5 - 29.0	129	-	-	18	29.2	25.3 - 33.4	236
b. Sexual health services that adolescents should receive	29.2	24.2 - 34.8	89	21.0	16.3 - 26.6	129	-	-	18	25.3	21.8 - 29.2	236
c. Laws and policies related to adolescent sexual health services, such as minor consent for sexual health services	34.0	27.9 - 40.6	89	25.6	20.1 - 32.0	129	-	-	18	29.7	25.7 - 34.1	236
d. Importance of maintaining student confidentiality for sexual health services	49.0	42.1 - 56.0	89	43.4	36.9 - 50.1	129	-	-	18	47.2	42.6 - 51.8	236
e. How to create or use a student referral guide for sexual health services	28.0	22.3 - 34.5	89	16.2	11.9 - 21.7	129	-	-	18	21.9	18.4 - 25.9	236
f. How to make successful referrals of students to sexual health services	31.2	24.9 - 38.2	89	16.4	12.0 - 22.0	128	-	-	18	23.2	19.7 - 27.3	235
g. Best practices for adolescent sexual health services provision, such as making services youth-friendly	29.4	24.3 - 35.2	89	19.5	14.8 - 25.1	129	-	-	18	23.8	20.4 - 27.7	236
h. Ensuring sexual health services are inclusive of lesbian, gay, bisexual, and transgender students	35.0	29.7 - 40.7	89	21.7	17.1 - 27.1	129	-	-	18	27.6	24.1 - 31.2	236

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

45. Percentage of schools that provide the following mental health programs or services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Universal mental health promotion programs (e.g., Positive Behavioral Interventions and Supports, Social-Emotional Learning programs or supports)	93.7	88.7 - 96.5	89	97.0	95.1 - 98.2	131	-	-	18	95.6	93.5 - 97.0	238
b. Confidential mental health screening to identify students in need of services (e.g., students at risk of mental health disorders, students experiencing trauma)	85.9	81.4 - 89.4	89	90.2	85.5 - 93.5	131	-	-	18	88.9	85.9 - 91.3	238
c. School-wide trauma-informed practices (i.e., efforts to ensure that all students, including those affected by trauma, are experiencing social, emotional, and educational success)	94.6	89.8 - 97.2	88	94.8	91.0 - 97.0	131	-	-	18	95.1	92.6 - 96.8	237
d. Cognitive behavioral therapy groups (e.g., for students with depression, anxiety, or other mental health disorders)	65.1	58.0 - 71.5	87	66.4	59.7 - 72.5	131	-	-	18	67.6	63.0 - 71.9	236
e. Pro-social skills training (e.g., school counseling groups)	73.5	66.6 - 79.4	88	84.0	78.6 - 88.2	131	-	-	18	80.5	76.5 - 83.9	237
f. Small groups for specific issues (e.g., depression, parental divorce)	69.0	61.4 - 75.7	88	75.0	68.8 - 80.2	131	-	-	18	72.6	68.2 - 76.6	237

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Provided parents with information to support parent-adolescent communication about sex	23.8	18.5 - 30.0	89	9.8	6.6 - 14.5	131	-	-	18	16.4	13.4 - 19.8	238
b. Provided parents with information to support parent-adolescent communication about topics other than sex	45.0	38.4 - 51.7	89	46.5	39.6 - 53.5	131	-	-	18	45.8	41.1 - 50.5	238
c. Provided parents with information about how to monitor their teen (e.g., setting parental expectations, keeping track of their teen, responding when their teen breaks the rules)	40.2	34.3 - 46.4	89	49.0	42.7 - 55.3	131	-	-	18	45.8	41.4 - 50.2	238
d. Provided parents with information to support one-on-one time between adolescents and their health care providers	29.1	23.1 - 36.0	89	25.9	21.1 - 31.4	131	-	-	18	26.8	23.1 - 30.9	238
e. Provided parents with information about physical education and physical activity programs	57.2	50.0 - 64.1	89	53.4	46.9 - 59.7	131	-	-	18	54.5	49.8 - 59.1	238
f. Involved parents as school volunteers in the delivery of health education activities and services	26.4	21.3 - 32.4	89	25.5	20.6 - 31.2	132	-	-	18	25.7	22.1 - 29.6	239
g. Involved parents as school volunteers in physical education or physical activity programs	29.5	23.4 - 36.4	88	33.1	27.2 - 39.5	132	-	-	18	32.2	28.1 - 36.6	238
h. Linked parents and families to health services and programs in the community	70.6	63.5 - 76.8	89	71.6	65.8 - 76.9	131	-	-	18	70.9	66.5 - 74.9	238

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
i. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	50.3	43.6 - 57.0	89	39.8	33.9 - 45.9	130	-	-	18	45.3	41.0 - 49.7	237
j. Provided parents with information about before- or after-school programs available in the community	67.1	59.9 - 73.6	89	73.3	68.0 - 78.0	132	-	-	18	71.7	67.6 - 75.5	239

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**KENTUCKY**  
**2022 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

47. Percentage of schools that currently implement any of the following school-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	69.8	62.6 - 76.1	89	43.1	37.6 - 48.7	130	-	-	17	55.6	51.3 - 59.7	236
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	67.2	59.9 - 73.8	89	48.0	42.3 - 53.7	130	-	-	17	56.8	52.4 - 61.1	236

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that currently connect students to any of the following community-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	61.6	53.3 - 69.3	89	47.4	41.5 - 53.3	129	-	-	17	54.1	49.4 - 58.7	235
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	62.8	54.7 - 70.2	88	48.9	43.4 - 54.4	130	-	-	17	55.6	51.1 - 60.0	235

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## KENTUCKY

### 2022 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
58.2	51.5 - 64.6	89	48.8	43.1 - 54.6	129	-	-	17	53.1	48.7 - 57.4	235

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations