



Kentucky Department of
E D U C A T I O N

2026
Kentucky School
Bus Purchasing
Guide





2026 Blue Bird School Bus Purchase Authorization

The _____ Board of Education, located in _____ Kentucky, on the ____ day of _____, 20____, in a legally called and constituted meeting, voted to purchase school buses through the Commonwealth of Kentucky contract price procedure.

This Board of Education took this official action to authorize the Chief State School Officer to procure 2026 school buses. This action, as spread upon the minutes of the meeting of this Board of Education on the above date, should be construed as evidence of obligation of this Board of Education to purchase the above school buses through the Commonwealth of Kentucky contract agreements established in accordance with statutory authority.

Signed

_____, Secretary
_____, Superintendent
of the _____ Board of Education
On the ____ day of _____, 20_____.

BODY SIDE NUMBERS: Indicate the body side number the Board of Education wants painted on the side of the body of each school bus. Match body side number to individual item numbers. Example: Item 1 - Side number - 5, 6, 7, 8

Current lead times for bus completion is as follows:

Type A – 270 Days, Type C – 180 Days, Type D 330 Days

Please contact your dealer if you have questions regarding lead times.

Special Needs Diesel

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
BB1		C	22	Cummins	Blue Bird	220	Allison 2500	189	125	\$148,245
BB2		C	23	Cummins	Blue Bird	220	Allison 2500	217	132	\$149,355
BB3		C	28	Cummins	Blue Bird	220	Allison 2500	273	153	\$154,135
BB4		C	28	Cummins	Blue Bird	250	Allison 3000	273	153	\$160,905
BB5		D-RE	63	Cummins	Blue Bird	250	Allison 3000	273	122	\$213,500

Special Needs Propane

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
BB6		C	22	Ford	Blue Bird	320	Ford	189	125	\$152,735
BB7		C	23	Ford	Blue Bird	320	Ford	217	132	\$155,800
BB8		C	28 Ext	Ford	Blue Bird	320	Ford	273	153	\$160,620

Special Needs Electric

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price

Type A/C – Diesel

Type A diesel has a left side middle fuel tank. All others have center rear fuel tank.

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
BB9		C	34	Cummins	Blue Bird	220	Allison 2500	169	125	\$142,080
BB10		C	34	Cummins	Blue Bird	220	Allison 2500	189	125	\$143,960
BB11		C	52	Cummins	Blue Bird	220	Allison 2500	217	132	\$145,570
BB12		C	66	Cummins	Blue Bird	220	Allison 2500	273	153	\$151,340
BB13		C	66	Cummins	Blue Bird	250	Allison 3000	273	153	\$158,110
BB14		C	72	Cummins	Blue Bird	220	Allison 2500	273	160	\$152,240
BB15		C	72	Cummins	Blue Bird	250	Allison 3000	273	160	\$158,735

Kentucky School Buses 2026 Bus Purchasing Guide



BB16		C	75	Cummins	Blue Bird	250	Allison 3000	280	174	\$162,110
------	--	---	----	---------	-----------	-----	--------------	-----	-----	-----------

Type A/C Propane

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
BB17		C	34	Ford	Blue Bird	320	Ford	189	125	\$145,080
BB18		C	52	Ford	Blue Bird	320	Ford	217	132	\$148,785
BB19		C	66	Ford	Blue Bird	320	Ford	273	139	\$154,025
BB20		C	72 Ext	Ford	Blue Bird	320	Ford	273	160	\$157,795
BB21		C	75 Ext	Ford	Blue Bird	320	Ford	280	174	\$158,280

Type A/C Electric

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
BB22		C	72	Cummins	Blue Bird	Electric	Electric	273	160	\$406,045

Type D Diesel

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
BB23		D-FE	78	Cummins	Blue Bird	250	Allison 3000	232	153	\$179,910
BB24		D-RE	78	Cummins	Blue Bird	250	Allison 3000	273	122	\$191,355

Type D Propane

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price

Type D Electric

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
BB25		D-RE	78	Cummins	Blue Bird	Electric	Electric	273	122	\$432,470

OPTIONS

RADIO

Option Number	Bus Type Available	Option Type	Extended Description	Price
BBO44	ALL	Radio	Radio, AM/FM/PA	\$ 650
BBO45	ALL	Radio	Radio, AM/FM/PA (w/ External Speaker)	\$ 675

CAMERAS

Option Number	Bus Type Available	Option Type	Extended Description	Price
BBO8	ALL	Camera	REI - 6 channel DVR-HD6-600 w/1 camera and 500 GB Hard Drive (INCLUDES INSTALL and 5 YEAR PARTS	\$ 2,650
BBO9	ALL	Camera	REI - 1 TB Hard Drive Upgrade	\$ 300
BBO10	ALL	Camera	REI - Additional Camera Head - (INCLUDES INSTALL)	\$ 325
BBO11	ALL	Camera	REI - GPS Sensor (for speed) - (INCLUDES INSTALL)	\$ 250
BBO12	ALL	Camera	REI - Stop Arm Camera - (INCLUDES INSTALL)	\$ 500
BBO13	ALL	Camera	REI - In Bus Video Lock Box	\$ 100
BBO14	ALL	Camera	REI - Event Marker and Panic Button - (INCLUDES INSTALL)	\$ 125
BBO15	ALL	Camera	REI - 500 GB Hard Drive (SPARE)	\$ 500
BBO16	ALL	Camera	REI - 1 TB Hard Drive (SPARE)	\$ 600
BBO17	ALL	Camera	REI - 12 channel DVR-HD6-1200 w/ 1 camera and 1TB Hard Drive (INCLUDES INSTALL and 5 YEAR PARTS WARRANTY) (Required w/ 6 or more cameras or 2 external	\$ 3,250
BBO18	ALL	Camera	Perimeter View 360 Degree Camera (See representative for install cost) (INCLUDES 5 YEAR PARTS WARRANTY)	\$ 3,000
BBO19	ALL	Camera	Backup Camera w/ Monitor in Student Mirror (Backup Camera w/Monitor in Dash Standard)	\$ 750

LUGGAGE

Option Number	Bus Type Available	Option Type	Extended Description	Price
BBO30	C	Luggage	Type C - Left Hand Overhang Storage	\$ 1,500
BBO31	C	Luggage	Type C - Right Hand Overhang Storage	\$ 1,500
BBO32	C	Luggage	Type C - Left Hand Mid Mount Storage	\$ 1,600
BBO33	C	Luggage	Type C - Right Hand Mid Mount Storage	\$ 1,600
BBO34	D-FE	Luggage	Type D - Left Hand Overhang Storage	\$ 1,600
BBO35	D-FE	Luggage	Type D - Right Hand Overhang Storage	\$ 1,600
BBO36	D	Luggage	Type D - Left Hand Mid Mount Storage	\$ 1,700
BBO37	D	Luggage	Type D - Right Hand Mid Mount Storage	\$ 1,700
BBO38	D-RE	Luggage	Type D - Pass Through Luggage	\$ 5,700
BBO39	ALL	Luggage	Gas Shocks (Single Door)	\$ 150
BBO40	ALL	Luggage	Gas Shocks (Double Door)	\$ 300

AIR CONDITIONING

Option Number	Bus Type Available	Option Type	Extended Description	Price
BBO1	C	A/C	95,000 BTU Skirt Mount AC (34 Pax)	\$ 12,000
BBO2	C	A/C	110,000 BTU Skirt Mount AC (52-66 Pax)	\$ 12,500
BBO3	C	A/C	126,000 BTU Skirt Mount AC (72-75 Pax)	\$ 12,900
BBO4	C	A/C	126,000 BTU Rooftop AC (52-75 Pax)	\$ 13,900
BBO5	D	A/C	126,000 BTU Skirt Mount AC	\$ 13,500

BBO6	D	A/C	136,000 BTU Rooftop AC	\$ 14,500
------	---	-----	------------------------	-----------

TIRES

Option Number	Bus Type Available	Option Type	Extended Description	Price
				\$ -

HORSE POWER UPGRADE

Option Number	Bus Type Available	Option Type	Extended Description	Price
BBO26	C	Horsepower	250HP Upgrade from 220HP (Allison 2500 Transmission Only)	\$ 1,750
BBO27	D	Horsepower	260HP Upgrade from 250HP (Allison 3000 Transmission Only)	\$ 750
BBO28	D	Horsepower	280HP Upgrade from 250HP	\$ 2,750
BBO29	ALL	Horsepower	Cummins VGT Engine Exhaust Brake (Diesel Only)	\$ 96

WARRANTY

Option Number	Bus Type Available	Option Type	Extended Description	Price
				\$ -

SEATING

Option Number	Bus Type Available	Option Type	Extended Description	Price
BBO46	ALL	Seating	(1) 39" CE White Child Safety Restraint Seat In lieu of Standard 39" HB Seat	\$ 800
BBO47	Lift Bus	Seating	(1) 30" CE White Child Safety Restraint Seat In lieu of Standard 30" HB Seat	\$ 800
BBO48	Lift Bus	Seating	(1) Track Mounted Barrier	\$ 350
BBO49	Lift Bus	Seating	(1) 30" Track Mounted Seat w/ Lap Shoulder Belt	\$ 900

Kentucky School Buses 2026 Bus Purchasing Guide

BBO50	Lift Bus	Seating	(1) additional Wheelchair Position	\$ 650
BBO51	Lift Bus	Seating	Delete (1) Wheelchair Position and ADD (1) Standard HB Seats	\$ 350
BBO52	Lift Bus	Seating	39" HB Seat w/ 3pt belts in lieu of 30" HB Seat w/ 3pt belts (requires wheelchair lift to be moved to rear of the	\$ 350
BBO53	Lift Bus	Seating	Relocate Wheelchair Lift to rear of school bus	\$ 1,000

OTHER OPTIONS

Option Number	Bus Type Available	Option Type	Extended Description	Price
BBO7	ALL	Disc Brakes	Air Disc Brakes	\$ 1,750
BBO20	ALL	Flooring	1 Piece Flooring (Gray Swirl)	\$ 1,200
BB021	C	Flooring	34P, 52P or 66-72P Marine Grade Subfloor	\$ 800
BB022	D	Flooring	Type D Marine Grade Subfloor	\$ 800
BBO23	C	Fuel Tank	100 Gallon Diesel Fuel Tank	\$ 675
BBO24	C	Fuel Tank	100 Gallon Propane Fuel Tank	\$ 675
BBO25	ALL	Heater	Espar Series Heater (includes 7-day timer) 17K BTU	\$ 1,995
BBO41	C	LED Mirrors	Rosco Heated and Illuminated Crossover Mirrors	\$ 500
BBO42	C	Mirrors	Rosco Breakaway Mirrors	\$ 225
BBO43	ALL	Ceiling	Full Length Perforated Ceiling	\$ 1,000

Kentucky School Buses 2026 Bus Purchasing Guide

BBO54	ALL	Tinting	Tinted Windows	\$ 375
BBO55	ALL	Pedals	Adjustable Pedals	\$ 1,250
BBO56	ALL	Zonar	Zonar Factory Pre-Wire	\$ 525
BBO57	ALL	Driver Seat	Heated Drivers Seat (only available in gray upholstery)	\$ 150
BBO58	C	Axle	23.5k Rear Axle (may be required w/ 100-gallon tank or certain luggage configurations)	\$ 1,250
BB059	C	Windshield	2-Piece Windshield	\$ 175
BB060	ALL	Tailpipe	Tailpipe Through Bumper	\$ 75
BB061	ALL	Fuel Door	Locking Fuel Door	\$ 45
BB062	ALL	DEF Door	Locking DEF Door	\$ 75
BB063	ALL	Cup Holder	Cup Holder	\$ 65
BB064	ALL	Trash Can	Trash Can	\$ 85

Blue Bird Floor Plans 2026

Contact Information

		Phone	Email
Kay Penn	KY General Manager	866-376-1644	kpenn@centralstatesbus.com
Chuck Harvill	General Manager	877-307-0322	charvill@centralstatesbus.com
Jeff Reitz	President/CEO	800-825-8273	jreitz@centralstatesbus.com

Delivery Date Estimates


Bus Type	Approximate Number of Days After Receipt of Order
C	150 - 180
D - FE & RE Diesel	160 - 180
C & D Electric	180 - 210

Quote Id: 232374 Body Plan / Seat Plan Information

Body Plan: 5014601

AT A GLANCE

ENGINE- Cummins
FUEL TYPE- Diesel
HP- 220
TRANS- Allison
SIZE- 2311
CAP- 22
WHEELBASE - 189"
ITEM #BB1




Seat Plan: 27937

SP: 27937 BBCV 2311, 22 CAP



Quote Id: 232374 Seat Plan Spacing Chart

SP: 27937 BBCV 2311, 22 CAP



Quote 232374 - 189" WB

Quote Id: 232375

Body Plan / Seat Plan Information

Body Plan: 5014629

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 220


TRANS- Allison

SIZE- 2610

CAP- 23

WHEELBASE - 217"

ITEM #BB2



Seat Plan: 27130


SP: 27130 BBCV 2610, 23 CAP



Quote Id: 232375

Seat Plan Spacing Chart

SP: 27130 BBCV 2610, 23 CAP



Quote 232375 - 217" WB

Quote Id: 232376

Body Plan / Seat Plan Information

Body Plan: 5014628

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 220


TRANS- Allison

SIZE- 3303

CAP- 28

WHEELBASE - 273"

ITEM #BB3



Seat Plan: 29268


SP: 29268 BBCV 3303, 28 CAP



Quote Id: 232376

Seat Plan Spacing Chart

SP: 29268 BBCV 3303, 28 CAP



Quote 232376 - 273" WB

Quote Id: 232377

Body Plan / Seat Plan Information

Body Plan: 5014628

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 250


TRANS- Allison

SIZE- 3303

CAP- 28

WHEELBASE - 273"

ITEM #BB4



Seat Plan: 29268


SP: 29268 BBCV 3303, 28 CAP



Quote Id: 232377

Seat Plan Spacing Chart

SP: 29268 BBCV 3303, 28 CAP



Quote Id: 232403

Body Plan / Seat Plan Information

Body Plan: 5015688

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 250


TRANS- Allison

SIZE- 4006

CAP- 63

WHEELBASE - 273"

ITEM #BB5



Seat Plan: 32079


SP: 32079 T3RE 4006, 63 CAP



Quote Id: 232403

Seat Plan Spacing Chart

SP: 32079 T3RE 4006, 63 CAP



Dimensions are to center line of front mounting hole.

LH Seat Spacing: 28.00, 30.00

LH Knee Clearance: 26.24, 28.24

RH Seat Spacing: 27.00, 33.00, 31.00

RH Knee Clearance: 25.24, 31.24, 29.24

T3RE 4006

T3RE4006 SED9L ECD7 NXGN 3PT 8TH

DO NOT SCALE


Capacity	63
Seat Plan #	32079
Wheelbase	273.0

Quote Id: 232386 Body Plan / Seat Plan Information

Body Plan: 5014601

AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 2311
CAP- 22
WHEELBASE - 189"
ITEM #BB6




Seat Plan: 27937

SP: 27937 BBCV 2311, 22 CAP



Quote Id: 232386 Seat Plan Spacing Chart

SP: 27937 BBCV 2311, 22 CAP




Quote Id: 232387 Body Plan / Seat Plan Information

Body Plan: 5014629

AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 2610
CAP- 23
WHEELBASE - 217"
ITEM #BB7




Seat Plan: 27130

SP: 27130 BBCV 2610, 23 CAP



Quote Id: 232387 Seat Plan Spacing Chart

SP: 27130 BBCV 2610, 23 CAP




Quote Id: 232389 Body Plan / Seat Plan Information

Body Plan: 5014628

AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 3303
CAP- 28 EXT
WHEELBASE - 273"
ITEM #BB8




Seat Plan: 29268

SP: 29268 BBCV 3303, 28 CAP



Quote Id: 232389 Seat Plan Spacing Chart

SP: 29268 BBCV 3303, 28 CAP



Quote Id: 232378 Body Plan / Seat Plan Information

Body Plan: 5014365

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 220


TRANS- Allison

SIZE- 1910

CAP- 34

WHEELBASE - 169"

ITEM #BB9




Seat Plan: 23136

SP: 23136 BBCV 1910, 34 CAP



Quote Id: 232378 Seat Plan Spacing Chart

SP: 23136 BBCV 1910, 34 CAP




Quote Id: 232379 **Body Plan / Seat Plan Information**

Body Plan: 5014346

AT A GLANCE

ENGINE- Cummins ISB
FUEL TYPE- Diesel
HP- 220
TRANS- Allison
SIZE- 2311
CAP- 34
WHEELBASE - 189"
ITEM #BB10




Seat Plan: 23137

SP: 23137 BBCV 2311, 34 CAP



Quote Id: 232379 **Seat Plan Spacing Chart**

SP: 23137 BBCV 2311, 34 CAP



Quote Id: 232380 Body Plan / Seat Plan Information

Body Plan: 5014494

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 220


TRANS- Allison

SIZE- 2610

CAP- 52

WHEELBASE - 217"

ITEM #BB11




Seat Plan: 23138

SP: 23138 BBCV 2610, 52 CAP



Quote Id: 232380 Seat Plan Spacing Chart

SP: 23138 BBCV 2610, 52 CAP



Quote 232380 - 217" WB

Quote Id: 232381 Body Plan / Seat Plan Information

Body Plan: 5014345

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 220


TRANS- Allison

SIZE- 3201

CAP- 66

WHEELBASE - 273"

ITEM #BB12




Seat Plan: 25141

SP: 25141 BBCV 3201, 66 CAP



Quote Id: 232381 Seat Plan Spacing Chart

SP: 25141 BBCV 3201, 66 CAP



Quote Id: 244678 Body Plan / Seat Plan Information

Body Plan: 5014345

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 250


TRANS- Allison

SIZE- 3201

CAP- 66

WHEELBASE - 273"

ITEM #BB13




Seat Plan: 25141

SP: 25141 BBCV 3201, 66 CAP



Quote Id: 244678 Seat Plan Spacing Chart

SP: 25141 BBCV 3201, 66 CAP



Quote Id: 232383

Body Plan / Seat Plan Information

Body Plan: 5014318

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 220


TRANS- Allison

SIZE- 3310

CAP- 72


WHEELBASE - 273"

ITEM #BB14



Seat Plan: 30325


SP: 30325 BBCV 3310, 72 CAP



Quote Id: 232383

Seat Plan Spacing Chart

SP: 30325 BBCV 3310, 72 CAP



Quote Id: 244680

Body Plan / Seat Plan Information

Body Plan: 5014318

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 250


TRANS- Allison

SIZE- 3310

CAP- 72


WHEELBASE - 273"

ITEM #BB15



Seat Plan: 30325


SP: 30325 BBCV 3310, 72 CAP



Quote Id: 244680

Seat Plan Spacing Chart

SP: 30325 BBCV 3310, 72 CAP



Quote Id: 232385 Body Plan / Seat Plan Information

Body Plan: 5014550

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 250



TRANS- Allison

SIZE- 3507

CAP- 75

WHEELBASE - 280"

ITEM #BB16




Seat Plan: 27624

SP: 27624 BBCV 3507, 75 CAP



Quote Id: 232385 Seat Plan Spacing Chart

SP: 27624 BBCV 3507, 75 CAP




Quote 232385 - 280" WB

Quote Id: 232390 Body Plan / Seat Plan Information

Body Plan: 5014346

AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 2311
CAP- 34
WHEELBASE - 189"
ITEM #BB17




Seat Plan: 23137

SP: 23137 BBCV 2311, 34 CAP



Quote Id: 232390 Seat Plan Spacing Chart

SP: 23137 BBCV 2311, 34 CAP




Quote Id: 232391 Body Plan / Seat Plan Information

Body Plan: 5014494

AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 2610
CAP- 52
WHEELBASE - 217"
ITEM #BB18




Seat Plan: 23138

SP: 23138 BBCV 2610, 52 CAP



Quote Id: 232391 Seat Plan Spacing Chart

SP: 23138 BBCV 2610, 52 CAP




Quote Id: 232392

Body Plan / Seat Plan Information

Body Plan: 5014345

AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 3201
CAP- 66
WHEELBASE - 273"
ITEM #BB19



Seat Plan: 25141


SP: 25141 BBCV 3201, 66 CAP



Quote Id: 232392

Seat Plan Spacing Chart

SP: 25141 BBCV 3201, 66 CAP



Dimensions are to center line of front mounting hole.

LH Seat Spacing: 27.00, 27.50
 LH Knee Clearance: 25.24, 25.74
 RH Seat Spacing: 26.50
 RH Knee Clearance: 24.74

BBCV 3201

BBCV3201 SED5L NEXTGEN LBR

DO NOT SCALE

Capacity	66
Seat Plan #	25141
Wheelbase	273.0

Quote 232392 - 273" WB


Quote Id: 232394 Body Plan / Seat Plan Information

Body Plan: 5014318

AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 3310
CAP- 72 EXT
WHEELBASE - 273"
ITEM #BB20

Seat Plan: 30325




SP: 30325 BBCV 3310, 72 CAP



Quote Id: 232394 Seat Plan Spacing Chart

SP: 30325 BBCV 3310, 72 CAP




Quote Id: 232395 Body Plan / Seat Plan Information

Body Plan: 5014550

AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 3507
CAP- 75 EXT
WHEELBASE - 280"
ITEM #BB21




Seat Plan: 27624

SP: 27624 BBCV 3507, 75 CAP



Quote Id: 232395 Seat Plan Spacing Chart

SP: 27624 BBCV 3507, 75 CAP



Quote 232395 - 280" WB


Quote Id: 232396

Body Plan / Seat Plan Information

Body Plan: 5015525

AT A GLANCE

ENGINE- Cummins
FUEL TYPE- Electric
HP- Electric
TRANS- Electric
SIZE- 3310
CAP- 72
WHEELBASE - 273"
ITEM #BB22



Seat Plan: 30325


SP: 30325 BBCV 3310, 72 CAP



Quote Id: 232396

Seat Plan Spacing Chart

SP: 30325 BBCV 3310, 72 CAP



Quote Id: 232399

Body Plan / Seat Plan Information

Body Plan: 5011609

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 250



TRANS- Allison

SIZE- 4004

CAP- 78

WHEELBASE - 232"

ITEM #BB23



Seat Plan: 23143


SP: 23143 T3FE 4004, 78 CAP



Quote Id: 232399

Seat Plan Spacing Chart

SP: 23143 T3FE 4004, 78 CAP



Quote Id: 232401

Body Plan / Seat Plan Information

Body Plan: 5013675

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 250


TRANS- Allison

SIZE- 4006

CAP- 78

WHEELBASE - 273"

ITEM #BB24



Seat Plan: 25142


SP: 25142 T3RE 4006, 78 CAP



Quote Id: 232401

Seat Plan Spacing Chart

SP: 25142 T3RE 4006, 78 CAP



Quote 232401- 273" WB


Quote Id: 232402

Body Plan / Seat Plan Information

Body Plan: 5013682

AT A GLANCE

ENGINE- Cummins
FUEL TYPE- Electric
HP- Electric
TRANS- Electric
SIZE- 4006
CAP- 78
WHEELBASE - 273"
ITEM #BB25



Seat Plan: 25142


SP: 25142 T3RE 4006, 78 CAP



Quote Id: 232402

Seat Plan Spacing Chart

SP: 25142 T3RE 4006, 78 CAP



Row	RH Seats	LH Seats
1	39CNVLBR	39CNVLBR
2	39CNVLBR	39CNVLBR
3	39CNVLBR	39CNVLBR
4	39CNVLBR	39CNVLBR
5	39CNVLBR	39CNVLBR
6	39CNVLBR	39CNVLBR
7	39CNVLBR	39CNVLBR
8	39CNVLBR	39CNVLBR
9	39CNVLBR	39CNVLBR
10	39CNVLBR	39CNVLBR
11	39CNVLBR	39CNVLBR
12	39CNVLBR	39CNVLBRDAV
13	39CNVLBR	
14	39CNVLBRDAV	

Dimensions are to center line of front mounting hole.

LH Seat Spacing: 27.25, 28.00
 LH Knee Clearance: 25.49, 26.24

RH Seat Spacing: 27.50
 RH Knee Clearance: 25.74

T3RE 4006

T3RE4006 SED7L NEXTGEN LBR

DO NOT SCALE

Capacity	78
Seat Plan #	25142
Wheelbase	273.0


Quote Id: 232387

Body Plan / Seat Plan Information

Body Plan: 5014629

AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 2610
CAP- 23
WHEELBASE - 217"
ITEM #BB8



Seat Plan: 27130


SP: 27130 BBCV 2610, 23 CAP



Quote Id: 232387

Seat Plan Spacing Chart

SP: 27130 BBCV 2610, 23 CAP




Quote Id: 232389 Body Plan / Seat Plan Information

Body Plan: 5014628

AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 3303
CAP- 28 EXT
WHEELBASE - 273"
ITEM #BB9




Seat Plan: 29268

SP: 29268 BBCV 3303, 28 CAP






Quote Id: 232389 Seat Plan Spacing Chart

SP: 29268 BBCV 3303, 28 CAP



NOTE: The wheelchair restraint configuration for this bus is as shown below:



AT A GLANCE

BODY- MicroBird
ENGINE- Borg-Warner Remy
FUEL TYPE- Electric
HP- Electric
TRANS- Electric
CAP- 8+2
WHEELBASE - 158"
ITEM #BB10

SEAT	DIM.	SIDE	QTY
S3	39	RH	2
S3	30	RH	1

Seat spacing = See drawing D.O.D.: 32"

APPROVED CONFIGURATIONS

Total ambulatory passengers : 8 Total wheel chair passengers : 2
 Load cap. (pass. + cargo) : **kg **lbs

REV.	2021/05/27	LR	CREATION DRAWING
REV.	YYYY/MM/DD	BY	DESCRIPTION
Stock Number:			
Customer Approval:			
Date:			

Drawn by :	
LINE ROY	
MODEL:	UFH5 CRH WSS
UNIT = INCHES	Drawing no.
SCALE = DO NOT SCALE	053359
NOTE: Any option added to this floorplan shall be approved by the Corporation Micro Bird Inc. technical department.	

Quote Id: 232378 Body Plan / Seat Plan Information

Body Plan: 5014365

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 220


TRANS- Allison

SIZE- 1910

CAP- 34

WHEELBASE - 169"

ITEM #BB11




Seat Plan: 23136

SP: 23136 BBCV 1910, 34 CAP



Quote Id: 232378 Seat Plan Spacing Chart

SP: 23136 BBCV 1910, 34 CAP



Quote 232378 - 169" WB

Quote Id: 232384

Body Plan / Seat Plan Information

Body Plan: 5014318

AT A GLANCE

ENGINE- Cummins ISB

FUEL TYPE- Diesel

HP- 250


TRANS- Allison

SIZE- 3310

CAP- 72


WHEELBASE - 273"

ITEM #BB17



Seat Plan: 30325


SP: 30325 BBCV 3310, 72 CAP



Quote Id: 232384

Seat Plan Spacing Chart

SP: 30325 BBCV 3310, 72 CAP




Quote Id: 232390 Body Plan / Seat Plan Information

Body Plan: 5014346

AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 2311
CAP- 34
WHEELBASE - 189"
ITEM #BB20




Seat Plan: 23137

SP: 23137 BBCV 2311, 34 CAP



Quote Id: 232390 Seat Plan Spacing Chart

SP: 23137 BBCV 2311, 34 CAP




Quote 232390 - 189" WB

Quote Id: 232391 Body Plan / Seat Plan Information

Body Plan: 5014494

AT A GLANCE

ENGINE- Ford
FUEL TYPE- Propane
HP- 320
TRANS- Ford
SIZE- 2610
CAP- 52
WHEELBASE - 217"
ITEM #BB21




Seat Plan: 23138

SP: 23138 BBCV 2610, 52 CAP



Quote Id: 232391 Seat Plan Spacing Chart

SP: 23138 BBCV 2610, 52 CAP





2026 IC Bus School Bus Purchase Authorization

The _____ Board of Education, located in _____ Kentucky, on the ____ day of _____, 20____, in a legally called and constituted meeting, voted to purchase school buses through the Commonwealth of Kentucky contract price procedure.

This Board of Education took this official action to authorize the Chief State School Officer to procure 2026 school buses. This action, as spread upon the minutes of the meeting of this Board of Education on the above date, should be construed as evidence of obligation of this Board of Education to purchase the above school buses through the Commonwealth of Kentucky contract agreements established in accordance with statutory authority.

Signed

_____, Secretary
_____, Superintendent
of the _____ Board of Education
On the ____ day of _____, 20____.

BODY SIDE NUMBERS: Indicate the body side number the Board of Education wants painted on the side of the body of each school bus. Match body side number to individual item numbers. Example: Item 1 - Side number - 5, 6, 7, 8

Current lead times for bus completion is 270 days.

Kentucky School Buses 2026 Bus Purchasing Guide



Instructions: Please number items in numerical order that coincide with the floor plans. Include an "O" for the optional items. You may add or delete rows as needed for each section. Sample numbering started below and can be updated as items are added or removed.

All Type A are Hydraulic Brakes and have a left side center fuel tank. All Type C have Center Rear fuel tanks.

Special Needs Diesel

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
IC-01		C	14 (34 shell)	Cummins	International	220	Allison 2500PTS	170	93	\$147,699
IC-02		C	20 (52 shell)	Cummins	International	220	Allison 2500PTS	218	127	\$152,999
IC-03		C	20 (52 shell)	Cummins	International	250	Allison 2500PTS	218	127	\$154,000
IC-04		C	30 (66 shell)	Cummins	International	220	Allison 2500PTS	276	140	\$159,399
IC-05		C	30 (66 shell)	Cummins	International	250	Allison 2500PTS	276	140	\$160,400
IC-06		C	30 (66 shell)	Cummins	International	220	Allison 3000PTS	276	140	\$164,299
IC-07		C	30 (66 shell)	Cummins	International	250	Allison 3000PTS	276	140	\$165,300

Type A/C – Diesel (Type A diesel has a left side middle fuel tank. All others have center rear fuel tank.)

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
IC-08		C	34	Cummins	International	220	Allison 2500PTS	170	93	\$138,699
IC-09		C	52	Cummins	International	220	Allison 2500PTS	218	127	\$142,399
IC-10		C	52	Cummins	International	250	Allison 2500PTS	218	127	\$143,400
IC-11		C	66	Cummins	International	220	Allison 2500PTS	276	140	\$146,799
IC-12		C	66	Cummins	International	250	Allison 2500PTS	276	140	\$147,800
IC-13		C	72	Cummins	International	220	Allison 2500PTS	276	158	\$147,399
IC-14		C	72	Cummins	International	250	Allison 2500PTS	276	158	\$148,400
IC-15		C	66	Cummins	International	220	Allison 3000PTS	276	140	\$152,899
IC-16		C	66	Cummins	International	250	Allison 3000PTS	276	140	\$153,900
IC-17		C	72	Cummins	International	220	Allison 3000PTS	276	158	\$153,799
IC-18		C	72	Cummins	International	250	Allison 3000PTS	276	158	\$154,800

Type A/C Electric

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
IC-19		C	52	255 KW	International	342	210 KWh	218	127	\$408,599
IC-20		C	72	255 KW	International	342	210 KWh	276	158	\$414,799



OPTIONS

RADIO

Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-01	C-34/52 pass	Radio	AM/FM/P.A. with four interior speakers and outside speaker	\$ 522.00
ICO-02	C -66/72 pass	Radio	AM/FM/P.A. with eight interior speakers and outside speaker	\$ 591.00

CAMERA'S

Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-03	C	Video System	Seon DH6H500G 6 channel video system with 1 camera head and 500 GB hard drive	\$ 2,736.00
ICO-04	C	Video System	Seon Stop Arm Camera (installed with system above)	\$ 637.00
ICO-05	C	Video System	Seon Additional camera head (installed with system above)	\$ 482.00
ICO-06	C	Video System	Seon Pedestal for Forward facing (windshield) camera	\$ 134.00
ICO-07	C	Video System	Seon Sensor Harness, Event Marker, GPS Antenna	\$ 345.00
ICO-08	C	Video System	Seon DH8H1T0 - M 8 channel video system with 1 camera head and 1 TB hard drive	\$ 3,466.00
ICO-09	C	Video System	Seon Wi-Fi Antenna for video download	\$ 268.00
ICO-10	C	Video System	REI HD6 6 channel video system with 1 camera head and 500 GB hard drive	\$ 2,705.00
ICO-11	C	Video System	REI Additional camera head (installed with system above)	\$ 337.00
ICO-12	C	Video System	REI Event Marker installed with a new video system	\$ 161.00
ICO-13	C	Video System	REI Sensor Harness installed with a new video system	\$ 225.00
ICO-14	C	Video System	REI - Add Stop Arm camera to a new HD6 video system with 4 camera heads	\$ 776.00



CAMERA'S (Continued)				
ICO-16	C	Video System	REI HD5 12 channel video system with 1 camera head and 500 GB hard drive	\$ 3,588.00
ICO-17	C	Video System	REI Pedestal mount for forward-facing (windshield) camera	\$ 134.00

LUGGAGE - Luggage Boxes will be limited to RH side with Air Conditioning and availability will be limited on Special Needs buses due to wheelchair track!

Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-18	C - 52 PASS	Luggage	Left Center 91" x 24" x 18" (47EVB)	\$ 1,430.00
ICO-19	C - 52 PASS	Luggage	Right Center 66" x 24" x 18" (47ESX)	\$ 1,178.00
ICO-20	C - 66 PASS	Luggage	Left Center 114" x 24" x 18" (47EVT)	\$ 1,575.00

LUGGAGE - Luggage Boxes will be limited to RH side with Air Conditioning and availability will be limited on Special Needs buses due to wheelchair track!

ICO-21	C - 66 PASS	Luggage	Right Center 114" x 24" x 18" (47EVV)	\$ 1,575.00
ICO-22	C - 66 PASS	Luggage	Right Rear 36" x 20" x 18" (47GAG)	\$ 771.00
ICO-23	C - 72 PASS	Luggage	Left Center 114" x 24" x 18" (47EVT)	\$ 1,575.00
ICO-24	C - 72 PASS	Luggage	Right Center 114" x 24" x 18" (47EVV)	\$ 1,575.00
ICO-25	C - 72 PASS	Luggage	Right Rear 44" x 20" x 18" (47GAH)	\$ 840.00

AIR CONDITIONING

Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-26	C - Diesel	A/C	78,000 BTU for 34 pass size (48DNV)	\$ 10,284.00
ICO-27	C - Diesel	A/C	120,000 BTU for 52 thru 72 pass size (48GZW)	\$ 11,631.00
ICO-28	C - Electric	A/C	120,000 BTU for 52 thru 72 pass size (48HEP)	\$ 26,090.00
ICO-29	C - Diesel	A/C	Roof Monted A/C Condensers (add to price above) (48CXJ)	\$ 2,133.00



--	--	--	--	--

TIRES

Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-30	C	Tires	Michelin 14 ply	Standard
ICO-31	C	Tires	Goodyear 14 ply	\$ 99.00
ICO-32	C	Tires	Michelin 16 ply	\$ 750.00
ICO-33	C	Tires	Goodyear 16 ply	\$ 223.00
ICO-34	C	Tires	Continental 16 ply	\$ 97.00

FUEL TANK

Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-35	C Diesel - (66 or 72 pass)	Fuel Tank	100 gallon diesel fuel tank instead of 65 gallon tank (15TAM)	\$705



WARRANTY

Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-36	C	Warranty	Extended Tow Warranty - 5 yrs/unlimited miles (\$550 max per incident) - N/A for ELECTRIC BUS (40RAM)	\$ 2,000.00
ICO-37	C	Warranty	Extended Tow Warranty - 5 yrs/unlimited miles (\$1100 max per incident) - N/A for ELECTRIC BUS (40YEW)	\$ 2,500.00
ICO-38	C	Warranty	5 year/unlimited miles Cummins Engine + Aftertreatment (40ZBP)	\$ 4,000.00
ICO-39	C	Warranty	10 year/unlimited miles Cummins Engine + Aftertreatment (40ZBY)	\$ 9,975.00

SEATING

Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-40	C	Seats	U.C.R.A. added to seat (per seat)	\$ 86.00
ICO-41	C	Seats	39" IMMI Child Restraint Seat instead of 39" regular seat (per seat)	\$ 878.00
ICO-42	C	Seats	39" seat with 3-point seatbelts (per seat)	\$ 610.00
ICO-43	C	S/N	30" Track-mounted seat with 3 point belts (per seat)	\$ 1,255.00
ICO-44	C	S/N	Rear Lift for 52 pass shell instead of front lift (36 + 2 W/C capacity) - add to base 52 Special Needs bus	\$ 2,544.00
ICO-45	C	S/N	Delete one Wheelchair Position	\$ 394.00
ICO-46	C	S/N	Add One Wheelchair Position	\$ 734.00
ICO-47	C	S/N	Rear Lift for 66 pass shell instead of front lift (45 + 3 W/C capacity) - add to base 66 Special Needs bus	\$ 1,378.00
ICO-48	C	S/N	30" IMMI Child Rfestrant seat with 3 pt belts instead of 30" with 3 pt belts only	\$ 1,329.00
ICO-49	C	S/N	30" Track Mounted Barrier	\$ 447.00

OTHER OPTIONS

Option Number	Bus Type Available	Option Type	Extended Description	Price
ICO-50	C	Adjustable Pedals	Adjustable Pedals (includes tilt/tele steering column) (16HLH)	\$975
ICO-51	C	Brakes	Air Disc Brakes instead of Air Drum Brakes	\$1933
ICO-52	C	Collision Mitigation	Bendix Fusion 3.0 (includes camera and front sensor)	\$3,702
ICO-53	C	Engine Brake	Engine Brake for Cummins B6.7	\$148



OTHER OPTIONS

ICO-54	C - 34 pass	Floor	5/8" Marine Grade plywood subfloor with sealed edges (47SCK)	\$1031
ICO-55	C - 52 pass	Floor	5/8" Marine Grade plywood subfloor with sealed edges (47ANW)	\$1144
ICO-56	C - 66/72	Floor	5/8" Marine Grade plywood subfloor with sealed edges (47SUB)	\$1281
ICO-57	C	Floor	One-piece floor covering material (48UWV)	\$701
ICO-58	C	Interior	Barrier Cover with Pouch (48BDG)	Standard
ICO-59	C	Interior	Trash Can in Driver Area (47BMA)	\$142
ICO-60	C	Interior	Driver's Dome Light with separate switch (49ESC)	\$64
ICO-61	C	Interior	Gray Floor Rubber (48PEW)	\$299
ICO-62	C	Mirrors	Rosco Accustyle Mirrors instead of Open View ES (49DNB)	\$347
ICO-63	C	Mirrors	Downlit + Heated Crossview Mirrors (49NBM)	\$425
ICO-64	C	Special Needs	Sure-Lok GO-2 Oxygen Cylinder Holder	\$427
ICO-65	C	Steering Column	Tilt/Telescopic Steering Column (005710)	\$477
ICO-66	C	Tow Hooks	Front Tow Hooks, Two (001570)	\$125
ICO-67	C	Tow Hooks	Rear Tow Hooks, Two (01WRP)	\$127
ICO-68	C - 34 pass	Windows	Tinted Windows (non-special needs) (48BTV)	\$546
ICO-69	C - 52 pass	Windows	Tinted Windows (non-special needs) (48BTX)	\$661
ICO-70	C - 66/72 pass	Windows	Tinted Windows (non-special needs) (48BUB)	\$767
ICO-71	C	Dash Cluster	Premium Dash Cluster with 5" color display (16GEG)	\$488
ICO-72	C	Park Brake	Bendix IntelliPark (04GBL,04WJP)	\$500
ICO-73	C	Engine Controls	Cruise Control (12VVN)	\$51
ICO-74	C	Air Brake System	Schrader Valve to air up brake system for towing purposes (04WGU)	\$69
ICO-75	C	Driver Seat	Sears Atlas II air-ride/heated Premium Driver's Seat (48HDN)	\$735
ICO-76	C	Wheelchair Lift	Braun 1000 lb. Capacity Wheelchair Lift (49NAJ)	\$311


Standard Items for 2026

	C	Headlights	LED Headlights	Standard
	C	Mirrors	Heated Crossover Mirrors	Standard
	C	Interior	Power Outlet in Driver's Area	Standard

Contact Name	Title	Mobile Number	Email Address
Mark Cahill	Bus Sales Director	502-370-1275	mcahill@bluegrasstrucks.com
Sam Vinroe	Bus Sales - Account Mgr - West KY	859-983-6015	svinroe@bluegrasstrucks.com
Gary King	Bus Sales - Account Mgr - East KY	502-642-0516	gking@bluegrasstrucks.com



PB11000, 19 FT. 11 IN., CAP 14



* 100": TOTAL TRACK
LENGTH (APPROXIMATELY)


* NOTE:
IT IS THE SELLING DEALER'S RESPONSIBILITY TO
ENSURE THAT ANY WHEELCHAIR TIE - DOWN SYSTEM
SPECIFIED AND DEPICTED ON THIS DRAWING MEETS
ALL DEFENDANT'S SPECIFICATION AND TO
ALSO ENSURE THAT THE WHEELCHAIRS CAN BE
PLACED AND REMOVED WITH RESPECT TO: SEATS,
K/O'S, SIDE EMERG DOORS, HEATERS, LIFTS,
WHEELHOUSES, ETC.,
* DISSEMINATION OF THIS PRINT DOES NOT IN ANY WAY
OBLIGATE IC CORP. TO BUILD THE UNIT SHOWN.
* TRACK SIGN IS FOR REFERENCE ONLY.

THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.3M-1994
AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION
REVISIONS AND TO DRAWING ADDENDUM 2000.

Engine - Cummins
Fuel Type- Diesel
HP- 220
Trans - 2500 PTS
Size - 19'11"
Capacity - 14
Wheelbase - 170
Item # - IC - 01


50000/49000	 INTERNATIONAL TRUCK AND ENGINE CORPORATION CONFIDENTIAL/CONFIDENTIAL PROPRIETARY 000	APPROX. MASS (WEIGHT) POLISH PART		LATCHING CONTROLS
		FINISH PART FINISHED MATERIAL		
				
		BODY PLAN P81000		
REVISE ONLY ON LEAF SYSTEM DATE EVALUATION NAME UOUMACH 23FEB23 DRAWN DATE APPROVED PART NAME CODE PART TYPE CODE SCALE NONE PART NO. RELEASE NO.	LINEAR MEASURE INCHES 1-00 1/2 1/4 1/8 1/16 1/32 1/64 1/128 1/256 1/512 1/1024 1/2048 1/4096 1/8192 1/16384 1/32768 1/65536 1/131072 1/262144 1/524288 1/1048576 1/2097152 1/4194304 1/8388608 1/16777216 1/33554432 1/67108864 1/134217728 1/268435456 1/536870912 1/1073741824 1/2147483648 1/4294967296 1/8589934592 1/17179869184 1/34359738368 1/68719476736 1/137438953472 1/274877906944 1/549755813888 1/1099511627776 1/2199023255552 1/4398046511104 1/8796093022208 1/17592186044416 1/35184372088832 1/70368744177664 1/140737488355328 1/281474976710656 1/562949953421312 1/1125899906842624 1/2251799813685248 1/4503599627370496 1/9007199254740992 1/18014398509481984 1/36028797018963968 1/72057594037927936 1/144115188075855872 1/288230376151711744 1/576460752303423488 1/1152921504606846976 1/2305843009213693952 1/4611686018427387904 1/9223372036854775808 1/18446744073709551616 1/36893488147419103232 1/73786976294838206464 1/147573952589676412928 1/295147905179352825856 1/590295810358705651712 1/1180591620717411303424 1/2361183241434822606848 1/4722366482869645213696 1/9444732965739290427392 1/18889465931478580854784 1/37778931862957161709568 1/75557863725914323419136 1/151115727451828646838272 1/302231454903657293676544 1/604462909807314587353088 1/1208925819614629174706176 1/2417851639229258349412352 1/4835703278458516698824704 1/9671406556917033397649408 1/19342813113834066795298816 1/38685626227668133590597632 1/77371252455336267181195264 1/154742504910672534362390528 1/309485009821345068724781056 1/618970019642690137449562112 1/1237940039285380274899124224 1/2475880078570760549798248448 1/4951760157141521099596496896 1/9903520314283042199192993792 1/19807040628566084398385987584 1/39614081257132168796771975168 1/79228162514264337593543950336 1/158456325028528675187087900672 1/316912650057057350374175801344 1/633825300114114700748351602688 1/1267650600228229401496703205376 1/2535301200456458802993406410752 1/5070602400912917605986812821504 1/10141204801825835211973625643008 1/20282409603651670423947251286016 1/40564819207303340847894502572032 1/81129638414606681695789005144064 1/162259276829213363391578010288128 1/324518553658426726783156020576256 1/649037107316853453566312041152512 1/1298074214633706907132624082305024 1/2596148429267413814265248164610048 1/5192296858534827628530496329220096 1/10384593717069655257060992658440192 1/20769187434139310514121985316880384 1/41538374868278621028243970633760768 1/83076749736557242056487941267521536 1/16615349947311448411297588253504288 1/33230699894622896822595176507008576 1/66461399789245793645190353014017152 1/132922799578491587290380706028034304 1/265845599156983174580761412056068608 1/531691198313966349161522824112137216 1/1063382396627932698323045648224274432 1/2126764793255865396646091296448548864 1/4253529586511730793292182592897097728 1/8507059173023461586584365185794195456 1/17014118346046923173168730371588390912 1/34028236692093846346337460743176781824 1/68056473384187692692674921486353563648 1/136112946768375385385349842972707127296 1/27222589353675077077069968594541425584 1/54445178707350154154139937189082851136 1/1088903574147003083082798			



Engine - Cummins
Fuel Type - Diesel
HP - 220 or 250
Trans - 2500 PTS or 3000 PTS
Size - 33'5"
Capacity - 30
Wheelbase - 276
Item # - IC-04, IC-05, IC-06,
IC-07

WHEELBASE 276"

PB11000, 33 FT. 5 IN., CAP 30




* 200": TOTAL TRACK
LENGTH (APPROXIMATELY)

* NOTE:
IT IS THE SELLING DEALER'S RESPONSIBILITY TO
ENSURE THAT ANY WHEELCHAIR TIE - DOWN SYSTEM
SPECIFIED AND DEPICTED ON THIS DRAWING MEETS
THE DESIGNATION OF THAT SPECIFICATION AND
ALSO ENSURE THAT THE WHEELCHAIRS CAN BE
PLACED AND REMOVED WITH RESPECT TO: SEATS,
K/O's, SIDE EMERG. DOORS, HEATERS, LIFTS,
WHEELHOUSES, ETC.
THE INFORMATION ON THIS PRINT DOES NOT IN ANY WAY
OBLIGATE IC CORP. TO BUILD THE UNIT SHOWN.
WC TRACK SYSTEM IS FOR REFERENCE ONLY.


THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH ASME B14.5M-1999
AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION
DIMENSIONING AND TOLERANCING AGREEMENT-2000.

50000 / 49000		INTERNATIONAL TRUCK AND ENGINE CORPORATION					APPROX. MASS (WEIGHT) ROUGH PART FINISH PART FRONT WHEEL PROJECTION 	UNIVERSAL CONTROL CONTROL E 50 SERIAL NO. APPROVAL NOTE 4 01 1986
		REFERENCE LINEAR MEASURE 1/8" 1/16"						
		UNLESS SPECIFIED IN DIMENSIONS ARE PER 1/2						
		ONE PLACE 1/10 1/16 1/32 1/64 TWO PLACE 1/100 1/100 1/100 1/100 THREE PLACE 1/1000 1/1000 1/1000 1/1000 ANGLES 1/2 1/4 1/8 1/16 1/32 1/64						
		BODY PLAN PB11000						
		DATE 1/10/1986						
		DESIGNED BY CHECKED BY DATE						
		APPROVED BY DATE						
		PART NO. PART TYPE CODE BUILD CODE						
		BLUE - 195						

Engine - Cummins
Fuel Type - Diesel
HP - 220 or 250
Trans- 2500 PTS or 3000PTS
Size 32' 8"
Capacity - 66
Wheelbase 276
Item # IC-11, IC-12, IC-15,
IC-16



Engine - Cummins
Fuel Type - Diesel
HP - 220 or 250
Trans- 2500 PTS or 3000PTS
Size 32' 8"
Capacity - 66
Wheelbase 276
Item # IC-11, IC-12, IC-15,
IC-16



50000/49000

[illegible]

PB11000, 34 FT. 2 IN., CAP 72



Engine - Cummins
Fuel Type Diesel
HP - 220 or 250
Trans- 2500 PTS or 3000PTS Size
34 2"
Capacity - 72
Wheelbase 276
Item # IC-13, IC-14, IC-17, IC-18


50000/49000		INTERNATIONAL TRUCK AND ENGINE CORPORATION			
		INTERNATIONAL CONFIDENTIAL PROPRIETARY			
		REFERENCE		DOW 10A0000	
		LINEAR MEASURE: ☐ INCH ☐ METRIC		APPROX. MASS (WEIGHT)	
		MASS SPECIFIED ON VOLUMES		FOURTH PART	
				FINISH PART	
				 	
				 	
				 	
				 	
ONE PLACE 1.01		10	1.0		
TWO PLACE 1.000		100	0.01		
THREE PLACE 1.0000		1000	0.001		
FRACTIONS		16			
REV		BODY PLAN P811000			
ISSUE 1 (P811000)2000					
DATE 02/25/99		INITIALS			
BY 240CT22					
010000					
SCALE					
UNITS					
FINISH					
PART NAME CODE		PART TYPE CODE		SCALE NONE	
REVISED					
RELEASE NO.		BLUE - 189			
PART NO.					
E T1 & 240-11000		01			
REVISION					

THIS UNIT CONFORMS TO APPLICABLE FMVSS

THIS DOCUMENT IS IN ACCORDANCE WITH ASME T14.24-1984
AS AMENDED BY THE INTERNATIONAL TRUCK DIVISION
CONVENTION AND ITS TRANSFERS APPROVED 11-2000.

Engine - Electric
Fuel Type - Battery
HP - 342
Size 26' 8"
Capacity - 52
Wheelbase 218
Item # IC-19

PB10E00, 26 FT. 8 IN., CAP 52



* 500": TOTAL TRACK
LENGTH (APPROXIMATELY)

[illegible]

THIS UNIT CONFORMS TO APPLICABLE FMVSS



BODY PLAN

WHEELBASE 276"

PB10E00, 34 FT. 2 IN., CAP 72

AT A GLANCE

Engine - Electric
Fuel Type - Battery
HP - 342
Size 34 2"
Capacity - 72
Wheelbase 276
Item # IC-20



* 670": TOTAL TRACK LENGTH (APPROXIMATELY)

THIS UNIT CONFORMS TO APPLICABLE FMVSS THIS DOCUMENT IS IN ACCORDANCE WITH ANE VTS SECTION AS ISSUED BY THE INTERNATIONAL TRUCK DIVISION DIMENSIONING AND TOLERANCING ASSOCIATION 2000.

50000/49000		INTERNATIONAL TRUCK AND ENGINE CORPORATION	
INTERNATIONAL CONFIDENTIAL PROPRIETARY		INTERNATIONAL CONFIDENTIAL PROPRIETARY	
REFERENCE	000	APPROX. MASS (WEIGHT)	
LINEAR MEASURE	IN 1/8	FINISH PART	
UNLESS SPECIFIED SEE TOLERANCING ASSOCIATION 2000		FINISH PART	
ONE PLACE (1,00)	+1.0	INTERNAL CONTROL	
TWO PLACE (1,00)	+0.1		
THREE PLACE (1,000)	+0.01		
FOUR PLACE (1,000)	+0.001		
NAME	BODY PLAN PB10E00		DATE
DATE	10/24/59		DATE
APPROVED	FOR REVIEW	FOR REVIEW	DATE
DATE	10/24/59	10/24/59	10/24/59
RELEASE NO.	BLUE - 205		DATE



2026 Thomas Built Buses School Bus Purchase Authorization

The _____ Board of Education, located in _____ Kentucky, on the ____ day of _____, 20____, in a legally called and constituted meeting, voted to purchase school buses through the Commonwealth of Kentucky contract price procedure.

This Board of Education took this official action to authorize the Chief State School Officer to procure 2026 school buses. This action, as spread upon the minutes of the meeting of this Board of Education on the above date, should be construed as evidence of obligation of this Board of Education to purchase the above school buses through the Commonwealth of Kentucky contract agreements established in accordance with statutory authority.

Signed

_____, Secretary
_____, Superintendent
of the _____ Board of Education
On the ____ day of _____, 20____.

BODY SIDE NUMBERS: Indicate the body side number the Board of Education wants painted on the side of the body of each school bus. Match body side number to individual item numbers. Example: Item 1 - Side number - 5, 6, 7, 8

Current lead times for bus completion is 270 days.

Kentucky School Buses 2026 Bus Purchasing Guide

Instructions: Please number items in numerical order that coincide with the floor plans. Include an "O" for the optional items. You may add or delete rows as needed for each section. Sample numbering started below and can be updated as items are added or removed.

All Type A are Hydraulic Brakes and have a left side center fuel tank. All Type C have Center Rear fuel tanks.

Special Needs Diesel

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
TH1		C	21	CUMMINS	FREIGHTLIN	200	ALLISON	219	129	\$140,855
TH2		C	20	CUMMINS	FREIGHTLIN	200	ALLISON	219	129	\$147,514
TH3		C	34	CUMMINS	FREIGHTLIN	220	ALLISON	279	159	\$157,932

Special Needs Electric

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
TH4		C	24	PROTERRA	FREIGHTLIN	161	EATON	279	159	\$427,304

Type A/C – Diesel

Type A diesel has a left side middle fuel tank. All others have center rear fuel tank.

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
TH5		C	34	CUMMINS	FREIGHTLIN	200	ALLISON	159	99	\$129,413
TH6		C	52	CUMMINS	FREIGHTLIN	200	ALLISON	219	129	\$138,421
TH7		C	66	CUMMINS	FREIGHTLIN	220	ALLISON	279	149	\$142,832
TH8		C	72	CUMMINS	FREIGHTLIN	220	ALLISON	279	149	\$143,246

Type A/C Electric

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
TH9		C	66	VOLVO/PROT	FREIGHTLIN	161	EATON	279	149	\$422,771
TH10		C	72	VOLVO/PROT	FREIGHTLIN	161	EATON	279	149	\$423,922

Type D Diesel

Item #	Quantity	Bus Type	Capacity	Engine Manufacturer	Chassis Manufacturer	HP	Transmission Manufacturer	Wheel Base	Rear Axle Overhang	Base Price
TH11		D/FC	78	CUMMINS	FREIGHTLIN	260	ALLISON	231	155	\$176,743
TH12		D/RE	78	CUMMINS	FREIGHTLIN	240	ALLISON	267	115	\$189,737
TH13		D/RE	84	CUMMINS	FREIGHTLIN	280	ALLISON	267	115	\$191,813

OPTIONS

RADIO

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO1	C & D	RADIO	PAGE SYSTEM ONLY - NO RADIO	\$ 740.00
THO2	C	RADIO	DELPHI AM / FM RADIO WITH FLUSH-MOUNTED SPEAKERS (NO PAGE)	\$ 770.00
THO3	C	RADIO	DELPHI AM / FM RADIO WITH FLUSH-MOUNTED SPEAKERS, OUTSIDE SPEAKER W/ PAGE, CHASSIS	\$ 865.00
THO4	D	RADIO	DELPHI AM / FM RADIO WITH FLUSH-MOUNTED SPEAKERS (TYPE D ER/FORWARD CONTROL 70 - 84) (NO	\$ 865.00
THO5	D	RADIO	DELPHI AM / FM RADIO WITH FLUSH-MOUNTED SPEAKERS, OUTSIDE SPEAKER, CHASSIS MOUNTED (TYPE	\$ 990.00
				\$ -

CAMERA'S

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO6	ALL BUSES	PROVISION CAMERA	DVR-908LP1-256 - Pro-Vision Titan, 1080P High Definition Solid State DVR, (1) Low profile 1080P HD Camera, Passive GPS,Event	\$ 1,550.00
THO7	ALL BUSES	PROVISION CAMERA	DVR-908LP1-512 - Pro-Vision Titan, 1080P High Definition Solid State DVR, (1) Low profile 1080P HD Camera, Passive GPS,Event	\$ 1,650.00
THO8	ALL BUSES	PROVISION CAMERA	DVR-908LP2-256 - Pro-Vision Titan, 1080P High Definition Solid State DVR, (1) Low profile 1080P HD Camera, Passive GPS,Event	\$ 1,775.00
THO9	ALL BUSES	PROVISION CAMERA	DVR-908LP2-512 - Pro-Vision Titan, 1080P High Definition Solid State DVR, (1) Low profile 1080P HD Camera, Passive GPS,Event	\$ 1,875.00
THO10	ALL BUSES	PROVISION CAMERA	DVR-908LP3-256 - Pro-Vision Titan, 1080P High Definition Solid State DVR, (1) Low profile 1080P HD Camera, Passive GPS,Event	\$ 2,000.00
THO11	ALL BUSES	PROVISION CAMERA	DVR-908LP3-512 - Pro-Vision Titan, 1080P High Definition Solid State DVR, (1) Low profile 1080P HD Camera, Passive GPS,Event	\$ 2,100.00
THO12	ALL BUSES	PROVISION CAMERA	DVR-908LP4-256 - Pro-Vision Titan, 1080P High Definition Solid State DVR, (1) Low profile 1080P HD Camera, Passive GPS,Event	\$ 2,225.00
THO13	ALL BUSES	PROVISION CAMERA	DVR-908LP4-512 - Pro-Vision Titan, 1080P High Definition Solid State DVR, (1) Low profile 1080P HD Camera, Passive GPS,Event	\$ 2,325.00
THO14	ALL BUSES	PROVISION CAMERA	PRO-VISION DVR-912 - Pro-Vision AHD Low Profile Waterproof Camera Kit - EXTERIOR CAMERA	\$ 295.00
THO15	ALL BUSES	PROVISION CAMERA	PRO- VISION DVR-920 - Pro-Vision AHD Waterproof Side Camera - Exterior Camera	\$ 295.00
THO16	ALL BUSES	PROVISION CAMERA	PRO-VISION DVR-921 - Pro-Vision AHD Mini Dome Camera Kit	\$ 295.00
THO17	ALL BUSES	PROVISION CAMERA	PRO-VISION DVR-922 -Pro-Vision AHD Dash Camera - (windshield mounting)	\$ 395.00
THO18	ALL BUSES	PROVISION CAMERA	PRO-VISION DVR-923 -Pro-Vision AHD Ultra Wide Low Profile Camera	\$ 295.00
THO19	ALL BUSES	PROVISION CAMERA	PRO-VISION DVR-824 - Pro-Vision 1080P High Definition Dual Facing Stop Arm Camera	\$ 1,155.00
THO20	ALL BUSES	PROVISION CAMERA	PRO-VISION PX-1943 - 30' Camera Cable / 10m	\$ 40.00
THO21	ALL BUSES	PROVISION CAMERA	ECB-1YR -PROVISION WIRELESS TRANSFER KIT - 1 YEAR	\$ 100.00
THO22	ALL BUSES	PROVISION CAMERA	ECB-3YR -PROVISION WIRELESS TRANSFER KIT - 3 YEAR	\$ 280.00
THO23	ALL BUSES	PROVISION CAMERA	ECB-5YR -PROVISION WIRELESS TRANSFER KIT - 5 YEAR	\$ 420.00
THO24	ALL BUSES	PROVISION CAMERA	PROVISION 256GB CARD - PD-1738	\$ 180.00
THO25	ALL BUSES	PROVISION CAMERA	PROVISION 512GB CARD - PD-1748	\$ 320.00
THO26	ALL BUSES	PROVISION CAMERA	PROVISION 1 TB CARD - PD-1758	\$ 500.00
THO27	ALL BUSES	PROVISION CAMERA	PRO-VISION DVR-830 - 500GB Solid State Drive, Compatible with Pro-Vision System	\$ 450.00
THO28	ALL BUSES	PROVISION CAMERA	PRO-VISION DVR-831 - 1 TB Solid State Drive, Compatible with Pro-Vision System	\$ 550.00
THO29	ALL BUSES	PROVISION CAMERA	PRO-VISION - DVR-802 - Solid State Drive Reader	\$ 55.00
THO30	ALL BUSES	PROVISION CAMERA	PRO-VISION - DR-200-1TB - 2 VIEW DRIVE RECORDER 1 TB OF STORAGE	\$ 895.00
THO31	ALL BUSES	PROVISION CAMERA	PRO-VISION - PX-1210 - ANALOG CAMERA ADAPTOR	\$ 175.00
THO32	ALL BUSES	PROVISION CAMERA	INSTALLATION FOR BASIC SYSTEM AT BOYD FACILITY (INCLUDES 1 CAMERA HEAD)	\$ 495.00
THO33	ALL BUSES	PROVISION CAMERA	INSTALLATION FOR EACH ADDITIONAL CAMERA HEAD	\$ 150.00
THO34	ALL BUSES	SEON CAMERA - SD CARD SYSTEM	DH4C 128 - SEON SOLID STATE DVR, 4 HD CHANNELS, AUDIO, WIFI, G SENSOR, MOUTNING PLATE, POWER	\$ 950.00
THO35	ALL BUSES	SEON CAMERA - HARD DRIVE SYSTEM	DH4 - SEON DVR, 4 HD CHANNELS, AUDIO, WIFI, SECURITY FRONT LOCKING COVER,MNT PLATE, POWER	\$ 1,150.00
THO36	ALL BUSES	SEON CAMERA - HARD DRIVE SYSTEM	DH6- SEON DVR, 6 HD CHANNELS, AUDIO, GPS + ANTENNA, WIFI, 6 CH BREAKOUT HARNESS WITH 2X3	\$ 1,600.00
THO37	ALL BUSES	SEON CAMERA - HARD DRIVE SYSTEM	DH8 - SEON DH8 DVR, 8 HD CHANNEL, AUDIO, GPS + ANNTENA, WIFI, 8CH BREAKOUT HARNESS WITH 2X3	\$ 2,200.00
THO38	ALL BUSES	SEON CAMERA	WT2E20S20G6 - WIRE BUNDLE W. HARNESS, RGY BUTTON AND 20 FT CABLE, 5 SIGNAL INPUTS 20 FT, GPS ANTENNA	\$ 160.00
THO39	ALL BUSES	SEON CAMERA	WT2E20S20G0 - WIRE BUNDLE W. HARNESS, RGY BUTTON AND 20 FT CABLE, 5 SIGNAL INPUTS 20 FT, NO GPS	\$ 160.00
THO40	ALL BUSES	SEON CAMERA	HD1QXXAI20 - HD 720P CAMERA, DOME, pick a LENS SIZE 2.6, 3.6 OR 6.0mm, 20' harness - FOR USE WITH DH OR OLDER	\$ 310.00
THO41	ALL BUSES	SEON CAMERA	HD1QXXAI50 - HD 720P CAMERA, DOME, pick a LENS SIZE 2.6, 3.6 OR 6.0mm, 50' harness - FOR USE WITH DH OR OLDER	\$ 325.00
THO42	ALL BUSES	SEON CAMERA	HD1QXXAI75 - HD 720P CAMERA, DOME, pick a LENS SIZE 2.6, 3.6 OR 6.0mm, 75' harness - FOR USE WITH DH OR OLDER	\$ 350.00

THO43	ALL BUSES	SEON CAMERA	HD3U01N20 180 degree head -- WITH 20' HARNESS - for all DH systems and TH6	\$ 390.00
THO44	ALL BUSES	SEON CAMERA	HD3U01N50 180 degree head -- WITH 50' HARNESS - for all DH systems and TH6	\$ 425.00
THO45	ALL BUSES	SEON CAMERA	HD3U01N75 180 degree head -- WITH 75' HARNESS - for all DH systems and TH6	\$ 445.00
THO46	ALL BUSES	SEON CAMERA	HD3S16E120 - HD STOP ARM CAMERAS, 16mm EXTRENAL, 20' HARNESS	\$ 575.00
THO47	ALL BUSES	SEON CAMERA	CHQ-MP6A30 - MOUNTING POST. 6" , 30%	\$ 85.00
THO48	ALL BUSES	SEON CAMERA	TH-HK500G - H SERIES 500GB HARD DRIVE - FOR DH4/DH6	\$ 275.00
THO49	ALL BUSES	SEON CAMERA	TH8-HK1T0 - H SERIES - 1TB HARD DRIVE, DOUBLE WIDE - FOR DH8	\$ 400.00
THO50	ALL BUSES	SEON CAMERA	HDIA20 - EVENT BUTTON , 5' WITH 20 ' EXT	\$ 95.00
THO51	ALL BUSES	SEON CAMERA	HDD3-STB - READER DOCK WITH TRACKBALL SOFTWARE (NEW CUSTOMER ONLY)	\$ 395.00
THO52	ALL BUSES	SEON CAMERA	HDD-DOCK3 - READER DOCK ONLY , NO SOFTWARE , NO MOUSE	\$ 310.00
THO53	ALL BUSES	SEON CAMERA	SRLA07 - SMART REACH LITE , 2.4 GHz, STAND ANTENNA CABLE & POE ADAPTOR	\$ 595.00
THO54	ALL BUSES	SEON CAMERA	LMK - LCD MONITOR	\$ 390.00
THO55	ALL BUSES	SEON CAMERA	INSTALLATION FOR BASIC SYSTEM AT BOYD FACILITY (INCLUDES 1 CAMERA HEAD)	\$ 495.00
THO56	ALL BUSES	SEON CAMERA	INSTALLATION FOR EACH ADDITIONAL CAMERA HEAD	\$ 150.00
				\$ -
				\$ -

LUGGAGE

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO57	C	LUGGAGE BOXES	STORAGE BOXES (TYPE C) - 34 Passenger - 72 Passenger - 30 INCHES WIDE (LS or RS)	\$ 730.00
THO58	C	LUGGAGE BOXES	STORAGE BOXES (TYPE C) - 52 Passenger - 72 Passenger - 60 INCHES WIDE (LS or RS)	\$ 1,270.00
THO59	C	LUGGAGE BOXES	STORAGE BOXES (TYPE C) - 66 Passenger - 72 Passenger - 100 INCHES WIDE (LS or RS)	\$ 1,525.00
THO60	D/FC	LUGGAGE BOXES	STORAGE BOXES (TYPE D FC) 70-78 PASSENGER - 60" (LS or RS)	\$ 1,425.00
THO61	D/FC	LUGGAGE BOXES	STORAGE BOXES (TYPE D FC 78 PASSENGER - 100" (LS or RS)	\$ 1,665.00
THO62	D/RE	LUGGAGE BOXES	STORAGE BOXES (TYPE D RE) 78-84 PASSENGER - 60" (LS or RS)	\$ 1,425.00
THO63	D/RE	LUGGAGE BOXES	STORAGE BOXES (TYPE D RE 84 PASSENGER - 100" (LS or RS)	\$ 1,885.00
THO64	D/RE	LUGGAGE BOXES	STORAGE BOXES (TYPE D RE) 78-84 PASSENGER - CENTER PASS THRU - INCLUDES GAS SPRINGS	\$ 5,735.00
				\$ -

AIR CONDITIONING

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO65	C - 161 & 191 SHELL	A/C	Type C AIR CONDITIONING SYSTEM, 161 & 191 SHELL SIZE, 85,000 BTU SYSTEM (C2)	\$ 9,950.00
THO66	C	A/C	Type C AIR CONDITIONING SYSTEM, 52-72 PASSENGER SHELL SIZE, 126,000 BTU SYSTEM (C2) - WITH DASH AIR - SKIRT CONDENSOR	\$ 13,400.00
THO67	C	A/C	Type C - DASH AIR ONLY (EXCEPT 34 SHELL) (EV JOULEY BUS - DASH AIR IS STANDARD)	\$ 2,875.00
THO68	D	A/C	A/C SYSTEM, 70-84 PASSENGER SHELL SIZE, 120,000 BTU SYSTEM.	\$ 13,400.00
THO69	ALL BUSES - EXCEPT	A/C	FULL AIR CONDITIONING SYSTEM WITH ROOF CONDENSER INSTEAD OF SKIRT CONDENSER	\$ 17,000.00
				\$ -

TIRES

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO70	C	TIRES	14 PLY TO 16 PLY - (THOMAS BUS COMES STANDARD WITH MICHELIN TIRES)	\$ 900.00

THO71	C & D	TIRES	SUBSTITUTE STANDARD MICHELIN TIRES FOR HANKOOK TIRES - DEDUCT	\$ (1,000.00)
-------	-------	-------	--	---------------

HORSE POWER UPGRADE

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO72	C	HP UPGRADE	HP UPGRADE - 200 TO 220HP	\$ 650.00
THO73	C	HP UPGRADE	HP UPGRADE - 220 TO 250HP	\$ 1,500.00
THO74	D/RE	HP UPGRADE	HP UPGRADE - 240 TO 260HP	\$ 1,500.00
THO75	D/RE & FC	HP UPGRADE	HP UPGRADE - 260 TO 280HP	\$ 1,650.00
THO76	C	HP UPGRADE	DD5 DETROIT 240 HP ENGINE	\$ 2,450.00
THO77	D	HP UPGRADE	DD8 DETROIT 280 HP ENGINE	\$ 5,900.00
				\$ -

WARRANTY

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO78	ALL BUSES	TOW WARRANTY	TOW WARRANTY - 5 year / unlimited miles - \$750 max - (N/A FOR EV BUSES)	\$ 2,450.00
				\$ -


SEATING

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO79	C	SEATS	ADD 1 30" SBR LAP/SHOULDER TRACK MOUNTED SEAT TO A W/C POSITION TO LIFT BUS.	\$ 980.00
THO80	ALL BUSES	SEATS	EXCHANGE - 30 INCH INTEGRATED CHILD SAFETY RESTRAINT SEAT IN LIEU OF STANDARD 30 INCH SEAT	\$ 855.00
THO81	ALL BUSES	SEATS	EXCHANGE - 30 INCH INTEGRATED CHILD SAFETY RESTRAINT SEAT w/ shoulder belts - IN LIEU OF STANDARD	\$ 1,050.00
THO82	ALL BUSES	SEATS	EXCHANGE - 39 INCH INTEGRATED CHILD SAFETY RESTRAINT SEAT IN LIEU OF STANDARD 39 INCH SEAT	\$ 855.00
THO83	ALL BUSES	SEATS	EXCHANGE - 39 INCH INTEGRATED CHILD SAFETY RESTRAINT SEAT IN LIEU OF STANDARD 39 INCH SEAT	\$ 1,050.00
THO84	C	SEATS	ADD ONE ADDITIONAL W/C POSITION - ADD 1 FF630-4C TO LIFT BUS.	\$ 1,325.00
				\$ -

OTHER OPTIONS

Option Number	Bus Type Available	Option Type	Extended Description	Price
THO85	C	NOISE ABATEMENT	ACOUSTIC NOISE ABATEMENT - FULL BODY LENGTH - 34 PASS	\$ 475.00
THO86	C	NOISE ABATEMENT	ACOUSTIC NOISE ABATEMENT - FULL BODY LENGTH - 52 PASS	\$ 670.00
THO87	C	NOISE ABATEMENT	ACOUSTIC NOISE ABATEMENT - FULL BODY LENGTH - 66-72 PASS	\$ 850.00
THO88	D	NOISE ABATEMENT	ACOUSTIC NOISE ABATEMENT - FULL BODY LENGTH - TYPE D	\$ 1,050.00
THO89	C	BRAKES	ADJUSTABLE PEDALS - C2	\$ 1,200.00
THO90	D	BRAKES	ADJUSTABLE PEDALS - D	\$ 2,200.00
THO91	ALL BUSES	BRAKES	AIR DISC BRAKES - ALL BUSES	\$ 1,950.00
THO92	C	BRAKES	BENDIX INTELLIPARK - PARKING BRAKE SYSTEM	\$ 900.00
THO93	C	FLOOR	ONE PIECE FLOOR - 161 OR 191 SHELL BUS (C2 ONLY)	\$ 1,000.00
THO94	C	FLOOR	ONE PIECE FLOOR - 20 OR 52 PASS SHELL BUS (C2 ONLY)	\$ 1,200.00
THO95	C	FLOOR	ONE PIECE FLOOR - 66 OR 72 PASS SHELL BUS (C2 ONLY)	\$ 1,500.00
THO96	C	TINT	TINTED WINDOWS - 161 & 191 (NON LIFT)	\$ 600.00
THO97	C	TINT	TINTED WINDOWS - 52 PASS (NON LIFT)	\$ 860.00
THO98	C	TINT	TINTED WINDOWS - 66-72 PASS (NON LIFT)	\$ 1,000.00

THO99	D	TINT	TINTED WINDOWS - ALL TYPE D	\$ 1,250.00
THO100	C	TOUGH COAT	FLEETSHIELD TOUGHTCOAT CORRISION PROTECTION PROVIDES HIGH PERFORMANCE COATING ON FRONT	\$ 600.00
THO101	ALL BUSES	TRASH CAN	TRASH CAN (NO LID)	\$ 50.00
THO102	C	UNDERGUARD	UNDERGUARD - 161 & 191 SHELL - CORROSION PROTECTION - HIGH PERFORMANCE UNDERCOATING	\$ 700.00
THO103	C	UNDERGUARD	UNDERGUARD - 52-72 PASS SHELL - CORROSION PROTECTION - HIGH PERFORMANCE UNDERCOATING	\$ 825.00
THO104	D	UNDERGUARD	UNDERGUARD - TYPE D - CORROSION PROTECTION - HIGH PERFORMANCE UNDERCOATING APPLIED TO UNDERSIDE	\$ 950.00
THO105	C	UNDERGUARD	CORROSION EDGECOVER	\$ 200.00
THO106	C	HEATER	WEBASTO HEATER AND 7 DAY TIMER FOR C2 BUSES	\$ 1,975.00
THO107	D	HEATER	WEBASTO HEATER AND 7 DAY TIMER FOR TYPE D BUSES	\$ 2,700.00
THO108	C - EV JOULEY	CHARGE PORT	REMOVE FRONT RS CHARGE PORT AND ADD REAR RS CHARGE PORT ON EV JOULEY BUS	\$ 2,500.00
THO109	C	FUEL TANK	FUEL TANK UPGRADE - 35 TO 60 GALLON TANK - 161 & 191 SIZE BUS	\$ 675.00
THO110	C	FUEL TANK	FUEL TANK UPGRADE - 60 TO 100 GALLON TANK - 52 TO 72 PASS (C2)	\$ 875.00
THO111	ALL BUSES	ZONAR	ADD ZONAR BOX AND WIRING TO BUS	\$ 500.00
THO112	C	COLLISION	Meritor- Wabco ONGuard Active Collision Avoidance System Allows collision warning, active braking and	\$ 2,500.00
THO113	ALL BUSES	CAMERA	BACKUP CAMERA - INTERIOR MIRROR	\$ 1,325.00
THO114	C	CAMERA	BUS WISE - PERIMETER VIEW 360 CAMERA - C2 BUSES	\$ 2,995.00
THO115	D	CAMERA	BUS WISE - PERIMETER VIEW 360 CAMERA - EFX & HDX BUSES	\$ 2,995.00
THO116	ALL BUSES	WIFI	BUS WISE WIFI ROUTER - Wireless networking hardware. Expands capacity of customer supplied wireless hotspot	\$ 465.00
THO117	C	TOW BAR	TOW BAR	\$ 200.00
THO118	C	TRANSMISSION UPGRADE	UPGRADE TO 3000 PTS TRANSMISSION - C2 (66 & 72 SHELL ONLY)	\$ 3,950.00




THOMAS BUILT BUSES FLOOR PLAN 2026

		PHONE	EMAIL
MARK PINCZEWSKI	SALES REPRESENTATIVE ON HIGHWAY	(859) 554-1328	MarkPinczewski@BoydTruckCenters.com
MARK THOMPSON	SALES REPRESENTATIVE ON HIGHWAY	(270) 495-2108	MarkThompson@BoydTruckCenters.com
NICK COUCH	SALES REPRESENTATIVE ON HIGHWAY	(606) 620-4300	NickCouch@BoydTruckCenters.com


BOYDTRUCKCENTERS.COM

TH 1


A line drawing of a school bus from the side. It features a 'STOP' sign on the front door and an 'EMERGENCY EXIT' label above the rear window. A 'VERTICAL PUSHOUT' label points to the rear window area. A note at the bottom right states 'NO UNDERBODY BOXES ALLOWED' with an arrow pointing to the underbody area.



CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.



NOTES:
UNIT IS CONFIGURED WITH A FLAT FLOOR
UNIT EQUIPPED WITH OVERHEAD TRACK REINFORCEMENT



ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CANNIBALS, BOON LUGGAGE, AND OTHERS, ARE SHOWN IN ONE VIEW ONLY ON CHART.
2. THE CHART REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED.
3. THE C-SPACE BETWEEN BOTTOM OF BUS OR BOTTOM OF CHART AND CHART (AND CHART) ARE SHOWN AS CHARTING TO THE BUS. (GAD AND)
4. THE MAXIMUM HEIGHT AT BEST LINE OVER CHART BUS.
5. THE MAXIMUM BUS HEIGHT IS BASED ON STANDARD BUS.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY (WITH CHART) SUCH AS CHART, STRENGTH, LIGHTS.
7. THE MAXIMUM BUS HEIGHT IS NOT TAKEN INTO ACCOUNT.
8. THE MAXIMUM BUS HEIGHT IS NOT TAKEN INTO ACCOUNT.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BULLI BUEES INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BULLI BUEES INC. IS STRICTLY PROHIBITED. CONTACT THOMAS BULLI BUEES INC.



THOMAS BUILT BUSES, INC.
HIGH POINT, NC

9	TITLE	PLAN AND ELEVATION BODY 191TS
---	-------	----------------------------------


ORF 25-3623	BY T. Dwyer	SIZE	TYPE NO
SCALE	3/8" = 12"	S	877314

MANUAL CHANGES

SEATING CAPACITY: 16 + 4 WC + DRIVER



CAUTION - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.



NOTES:
UNIT EQUIPPED WITH OVERHEAD TRACK REINFORCEMENT

ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES

1. SCALE ITEMS SUCH AS BY MINUTES, MOOD LOGS, RACKS, AND OTHER ITEMS ARE SHOWN IN ONE VIEW
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS SHOWN
3. THE DISTANCE BETWEEN THE TOP OF BUS OR BOTTOM OF BUS AND THE CENTER OF THE BUS AND GROUND IS VARY ACCORDING TO THE SIZE, BUS, LOAD AND AIRCRAFT TYPE
4. THE MAXIMUM WIDTH AT BELT LINE CENTER SQUARE
5. THE MAXIMUM BELT HEIGHT IS BASED ON A STANDARD 175 CM TALL MALE
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH AN EYE HEIGHT OF 175 CM, STIMULI LIGHT AND EYE DISPERSION DATA
7. THE MAXIMUM BELT HEIGHT IS BASED ON THE TALLEST MALE
8. THE FOLLOWING ITEMS MAY ADD TO THE TOTAL HEIGHT OF THE BUS, SUCH AS MIRRORS, LIGHTS AND OTHER ACCESSORIES

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BULB & BUSB INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BULB & BUSB INC. IS STRICTLY PROHIBITED.

THOMAS BUILT BUSES, INC.
HIGH POINT, NC

5	TITLE	PLAN AND ELEVATION BODY 251TS
---	-------	----------------------------------



ONLY 03-24-23 BY T. Dean	SIZE	OWG. NO.
SCALE 3/8"=12"	S	877284

Model: Saf-T-Liner C2
Quote Number: 398101
Locality: KY



WHEEL	WHEEL	SPRINGS	AXLES	THOMAS BUILT BUSES, INC.
LEFT		29.0	28.0	FRONT POINT, NC.
RIGHT		31.0	27.5	
				TITLE PLAN AND ELEVATION
				BODY 251TS
				Only 38-24-23 6Y 2 Door
				SCALE 3/8"=1"
				S 877284

ТНЗ

SEATING CAPACITY: 30 + 4 WC + DRIVER



CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.



NOTES:
 1. RAFTER JOIST WITH OVERHUNG ROOF REINFORCEMENT
 2. RAFTER CONFIG D2000-00-716 (120312)
 3. UNIT IS CONFIGURED WITH A FLAT FLOOR

ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES

- [illegible]

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUILT, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART, WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUILT, INC. IS STRICTLY PROHIBITED.

THOMAS BUILT BUSES, INC.

9	TITLE	PLAN AND ELEVATION
9		BODY 311TS

GRN 05-38-73 BY T. Oak	SIZE	DWG. NO.
SCALE 3/8"=12"	S	877287


MANUAL CHANGES	Prozat
----------------	--------

Program Version: 13.8.23




Model: Saf-T-Liner C2
Quote Number: 398103
Locality: KY

WHEEL	WHEEL	SPACER	SPACER	THOMAS BUILT BUSES, INC.	
LEFT	28.0	28.0		HIGHPOINT, INC.	
LEFT	31.4	29.9		TITLE	PLAN AND ELEVATION
RIGHT	31.4	29.9			BODY 311TS
				DRW 25-28-23	BY T. Oles
				SCALE	3/8" = 12"
				SHEET	NO. 877287

SEATING CAPACITY: 20 + 4 WC + DRIVER




EV UNIT: NOTE S.T.A.R.S. LOCATIONS



CAUTION: LEFT SIDE BARRIER IS NOT IN
STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.



NOTES: DEMO UNIT***

RAFTER CONFIG D2000-00-716 (120312)
UNIT EQUIPPED WITH OVERHEAD TRACK REINFORCEMENT

ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES

1. SCALE ITEMS SUCH AS CHAIRS, RUGS, FURNITURE, ROOF, LUGGAGE, TREES, AND OTHER ITEMS ARE SHOWN IN ONE VIEW OR ANOTHER.
2. THIS DRAWING IS A REPRESENTATION AND MAY NOT BE USED TO CONSTRUCT A BUS OR TO CONSTRUCT A BUS STOP.
3. THE CLEARANCE FROM THE BOTTOM OF BUS OR BOTTOM OF TRUCK TO THE OVERHANGING PARTS OF THE ROOF AND GROUND WILL VARY ACCORDING TO THE SIZE, BUS LOAD AND SUPPORT TYPE.
4. THE MAXIMUM HEIGHT AT BUS LINE OVER GROUND IS 10'.
5. THE NORMAL BUS HEIGHT IS BASED ON A STANDARD 8'6" TALL PERSON.
6. THE MAXIMUM BUS HEIGHT IS BASED ON A BODY WITH A REACH AS MUCH AS 6'6" TO THE TOP OF THE ROOF.
7. LADDER CLIMBING HEIGHTS ARE NOT TAKEN INTO ACCOUNT.
8. THE DESIGNER MAY ADD TO THE TOTAL HEIGHT OF THE BUS, SUCH AS MIRRORS, LIGHTS AND ACCESSORY ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUDES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL (WHY PART) WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUDES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUDES, INC.





THOMAS BUILT BUSES, INC.

FILE	PLAN AND ELEVATION BODY 311TS
------	----------------------------------

ORIN ID#	25-23	BY 7	Color	SIZE	DRWG NO
SCALE	3/8"=12"			S	877328

S 877328

ITEM # TH5
CUMMINS
DIESEL
200 HP
2500 PTS
CAPACITY 34
WHEEL BASE - 159



CADISON® LEFT-SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.

CAUTION - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.



ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES

8. SOME ITEMS, SUCH AS CH MIRRORS, NEED UPGRADE, REPLACEMENT AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
9. THE MAXIMUM HEIGHT IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS AS REQUIRED.
10. THE CLEARANCE BETWEEN BOTTOM CH BUS OF BOTTOM CH BUS AND CIRCULARITY OF CH BUS AND GROUP OF CH BUS UNIT ACCORDING TO THE SIZE, BUS LOAD AND WEIGHT.
11. THE MAXIMUM HEIGHT THAT MUST (NOT BE) GUARDED.
12. THE MAXIMUM BUS HEIGHT IS BASED ON A STANDARD BUS.
13. THE MAXIMUM BUS HEIGHT IS BASED ON CARRY WITH OTHERS SUCH AS CABLES, STROBE LIGHTS, VIDEO EQUIPMENT, ETC.
14. THE CLEARANCE BETWEEN BOTTOM CH BUS OF BOTTOM CH BUS AND CIRCULARITY OF CH BUS UNIT ACCORDING TO THE SIZE, BUS LOAD AND WEIGHT.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BULL BUSS, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART, WITHOUT A WRITTEN PERMISSION OF THOMAS BULL BUSS, INC. IS STRICTLY PROHIBITED.
COPYRIGHT THOMAS BULL BUSS, INC.



THOMAS BUILT BUSES, INC.

75	TITLE	PLAN AND ELEVATION BODY 161TS
----	-------	----------------------------------

ORN 05-23	BY T. Dean	SIZE	ONE 1/2
SCALE	3/8"=12"	S	877285


S 877285

SEATING CAPACITY: 52 + DRIVER



CAUTION: LEFT-SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.



134.02

123 04
NOMINAL HEIGHT (SEE NOTE 5)

ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES

8. TAGS: ITEMS, SUCH AS CAR MIRRORS, WOOD LOADINGS, HAZARD AND OTHER ITEMS ARE SHOWN IN GIVE-VIEW OR TOP-VIEW.
9. DISTANCE: IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED.
10. CLEARANCE: CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF TRUCK AND GROUND OR GROUND WALLS MUST BE INDICATING TO THE 50% BUS LOAD AND THE MAXIMUM HEIGHT AT BEST LINE OVER GUARD.
11. HEIGHT: THE HEIGHT IS BASED ON A STANDARD 6'0" TALL PERSON.
12. MAXIMUM BUS HEIGHT: IS BASED ON BODY WITH OUTSIDE MIRRORS, 10'0" IS THE STROBE LIGHT.
13. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
14. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
15. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
16. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
17. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
18. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
19. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
20. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
21. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
22. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
23. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
24. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
25. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
26. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
27. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
28. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
29. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
30. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
31. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
32. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
33. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
34. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
35. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
36. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
37. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
38. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
39. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
40. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
41. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
42. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
43. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
44. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
45. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
46. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
47. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
48. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
49. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
50. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
51. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
52. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
53. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
54. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
55. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
56. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
57. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
58. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
59. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
60. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
61. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
62. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
63. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
64. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
65. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
66. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
67. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
68. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
69. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
70. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
71. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
72. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
73. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
74. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
75. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
76. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
77. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
78. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
79. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
80. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
81. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
82. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
83. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
84. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
85. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
86. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
87. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
88. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
89. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
90. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
91. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
92. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
93. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
94. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
95. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
96. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
97. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
98. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
99. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.
100. MAXIMUM HEIGHT: 10'0" IS THE STROBE LIGHT.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL ON ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

THOMAS BUILT BUSES, INC.

HIGH POINT, NC	
1	TITLE
	PLAN AND ELEVATION BODY 251TS

ORIN 05 22 23	BY T. Dean	DATE	05/05/20
SCALE	3/8"=12"	S	877282

MANUAL CHANGES



WAVE	TIME	SPACING
LEFT		29.1
RIGHT		28.6

Model: Saf-T-Liner C2
Quote Number: 398100
Locality: KY

CAD DRAWING - DO NOT MAKE MANUAL CHANGES


FILED

SEATING CAPACITY: 66 + DRIVER




CAUTION - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.



NOTES:
D200000805 - LS DOOR LOC. NO 5 (10" REAR)



ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES

1. 3DAN, ITEMS, SUCH AS BUSES, TRUCKS, TRAILERS, LOGS, RAMP, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW.
2. THE 3DAN IS USED TO REPRESENT ONLY AND MAY BE USED TO REPRESENT GROUPS.
3. THE C-SPACE BETWEEN BUSES OR BOTTLES OR OTHER ITEMS, SUCH AS TRUCKS AND GROUPS, WILL BE LEFT ALONG TO THE 3DAN. BOTH LOAD AND UNLOAD ARE SHOWN.
4. THE MAXIMUM HEIGHT AT BELT LINE OVER QUARD IS 6' 6".
5. THE MAXIMUM BUS HEIGHT IS BASED ON A STANDARD 6' 6" TALL PERSON.
6. THE MAXIMUM BUS HEIGHT IS BASED ON A BODY WITH A 6' 6" TALL PERSON, SUCH AS A STUBBY LIGHT.
7. LIGHT IS SHOWN ON THE 3DAN.
8. LIGHT IS SHOWN ON THE 3DAN.
9. LIGHT IS SHOWN ON THE 3DAN.
10. LIGHT IS SHOWN ON THE 3DAN.
11. LIGHT IS SHOWN ON THE 3DAN.
12. LIGHT IS SHOWN ON THE 3DAN.
13. LIGHT IS SHOWN ON THE 3DAN.
14. LIGHT IS SHOWN ON THE 3DAN.
15. LIGHT IS SHOWN ON THE 3DAN.
16. LIGHT IS SHOWN ON THE 3DAN.
17. LIGHT IS SHOWN ON THE 3DAN.
18. LIGHT IS SHOWN ON THE 3DAN.
19. LIGHT IS SHOWN ON THE 3DAN.
20. LIGHT IS SHOWN ON THE 3DAN.
21. LIGHT IS SHOWN ON THE 3DAN.
22. LIGHT IS SHOWN ON THE 3DAN.
23. LIGHT IS SHOWN ON THE 3DAN.
24. LIGHT IS SHOWN ON THE 3DAN.
25. LIGHT IS SHOWN ON THE 3DAN.
26. LIGHT IS SHOWN ON THE 3DAN.
27. LIGHT IS SHOWN ON THE 3DAN.
28. LIGHT IS SHOWN ON THE 3DAN.
29. LIGHT IS SHOWN ON THE 3DAN.
30. LIGHT IS SHOWN ON THE 3DAN.
31. LIGHT IS SHOWN ON THE 3DAN.
32. LIGHT IS SHOWN ON THE 3DAN.
33. LIGHT IS SHOWN ON THE 3DAN.
34. LIGHT IS SHOWN ON THE 3DAN.
35. LIGHT IS SHOWN ON THE 3DAN.
36. LIGHT IS SHOWN ON THE 3DAN.
37. LIGHT IS SHOWN ON THE 3DAN.
38. LIGHT IS SHOWN ON THE 3DAN.
39. LIGHT IS SHOWN ON THE 3DAN.
40. LIGHT IS SHOWN ON THE 3DAN.
41. LIGHT IS SHOWN ON THE 3DAN.
42. LIGHT IS SHOWN ON THE 3DAN.
43. LIGHT IS SHOWN ON THE 3DAN.
44. LIGHT IS SHOWN ON THE 3DAN.
45. LIGHT IS SHOWN ON THE 3DAN.
46. LIGHT IS SHOWN ON THE 3DAN.
47. LIGHT IS SHOWN ON THE 3DAN.
48. LIGHT IS SHOWN ON THE 3DAN.
49. LIGHT IS SHOWN ON THE 3DAN.
50. LIGHT IS SHOWN ON THE 3DAN.
51. LIGHT IS SHOWN ON THE 3DAN.
52. LIGHT IS SHOWN ON THE 3DAN.
53. LIGHT IS SHOWN ON THE 3DAN.
54. LIGHT IS SHOWN ON THE 3DAN.
55. LIGHT IS SHOWN ON THE 3DAN.
56. LIGHT IS SHOWN ON THE 3DAN.
57. LIGHT IS SHOWN ON THE 3DAN.
58. LIGHT IS SHOWN ON THE 3DAN.
59. LIGHT IS SHOWN ON THE 3DAN.
60. LIGHT IS SHOWN ON THE 3DAN.
61. LIGHT IS SHOWN ON THE 3DAN.
62. LIGHT IS SHOWN ON THE 3DAN.
63. LIGHT IS SHOWN ON THE 3DAN.
64. LIGHT IS SHOWN ON THE 3DAN.
65. LIGHT IS SHOWN ON THE 3DAN.
66. LIGHT IS SHOWN ON THE 3DAN.
67. LIGHT IS SHOWN ON THE 3DAN.
68. LIGHT IS SHOWN ON THE 3DAN.
69. LIGHT IS SHOWN ON THE 3DAN.
70. LIGHT IS SHOWN ON THE 3DAN.
71. LIGHT IS SHOWN ON THE 3DAN.
72. LIGHT IS SHOWN ON THE 3DAN.
73. LIGHT IS SHOWN ON THE 3DAN.
74. LIGHT IS SHOWN ON THE 3DAN.
75. LIGHT IS SHOWN ON THE 3DAN.
76. LIGHT IS SHOWN ON THE 3DAN.
77. LIGHT IS SHOWN ON THE 3DAN.
78. LIGHT IS SHOWN ON THE 3DAN.
79. LIGHT IS SHOWN ON THE 3DAN.
80. LIGHT IS SHOWN ON THE 3DAN.
81. LIGHT IS SHOWN ON THE 3DAN.
82. LIGHT IS SHOWN ON THE 3DAN.
83. LIGHT IS SHOWN ON THE 3DAN.
84. LIGHT IS SHOWN ON THE 3DAN.
85. LIGHT IS SHOWN ON THE 3DAN.
86. LIGHT IS SHOWN ON THE 3DAN.
87. LIGHT IS SHOWN ON THE 3DAN.
88. LIGHT IS SHOWN ON THE 3DAN.
89. LIGHT IS SHOWN ON THE 3DAN.
90. LIGHT IS SHOWN ON THE 3DAN.
91. LIGHT IS SHOWN ON THE 3DAN.
92. LIGHT IS SHOWN ON THE 3DAN.
93. LIGHT IS SHOWN ON THE 3DAN.
94. LIGHT IS SHOWN ON THE 3DAN.
95. LIGHT IS SHOWN ON THE 3DAN.
96. LIGHT IS SHOWN ON THE 3DAN.
97. LIGHT IS SHOWN ON THE 3DAN.
98. LIGHT IS SHOWN ON THE 3DAN.
99. LIGHT IS SHOWN ON THE 3DAN.
100. LIGHT IS SHOWN ON THE 3DAN.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL ON ANY MEDIUM WITHOUT THE WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED.
COPYRIGHT © THOMAS BUILT BUSES, INC.



THOMAS BUILT BUSES, INC.

PLAN AND ELEVATION BODY 340TS


DATE	05-29-23	BY	1	Drawn	WJC	NO
SCALE	3/8" = 12"	S		877281		

S 877281

SEATING CAPACITY: 72 + DRIVER



CAUTION - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.



NOTES:
D200000805 - LS DOOR LOC. NO 5 (10" REAR)

ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES

- [illegible]

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BULLI BULICE INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART THEREOF WITHOUT WRITTEN PERMISSION OF THOMAS BULLI BULICE INC. IS STRICTLY PROHIBITED.

THOMAS BUILT BUSES, INC
HIGH POINT NC


1	DATE	PLAN AND ELEVATION
9		BODY 340TS

OPEN IN 23-23 BY T Dean	SIZE	TYPE AND
SCALE 3/8"=12"	S	877280

MANUAL CHANGES


200
Program Version: 11.8.5.1

ITEM # TH 9
PROTERRA
EV BUS
161 HP
2500 PTS
CAPACITY 66
WHEEL BASE - 279



CAUTION - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.

EV UNIT: NOTE S.T.A.R.S. LOCATIONS



NOTES:
D200000805 - LS DOOR LOC. NO 5 (10" REAR)

ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES

1. SEAL ITEMS SUCH AS MIRRORS, LOCKS, LUGGAGE, BUCKLES AND OTHER ITEMS ARE SHOWN IN ONE VIEW.
2. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED TO MANUFACTURE OR REPRODUCE THE ITEM.
3. THE CLEARANCE BETWEEN A BOTTOM OF BUSH OR BOTTOM OF A HOOD AND A SHOULDER OR AN EDGE OF A DRIVING WHEEL IS SHOWN ACCORDING TO THE SIZE, BUSH, GEAR AND POSITION OF THE PART.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GARMENT IS 18".
5. THE MAXIMUM BELT HEIGHT IS BASED ON A STANDARD 10" BELT.
6. THE MAXIMUM BUSH HEIGHT IS BASED ON BODY WITH A 10" BELT.
7. LENGTH OF SUSPENSION IS 10".
8. THE BELT SHOULD NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BELT, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED HEREWITH ARE THE PROPERTY OF THOMAS BULL BUSSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL, IN ANY MANNER, WITHOUT THE WRITTEN PERMISSION OF THOMAS BULL BUSSES, INC., IS STRICTLY PROHIBITED.

THOMAS BUILT BUSES, INC.
HIGH POINT, NC


7	DATE	10-10-77
8	TIME	10:00
9	PLAN AND ELEVATION	
10	BODY 340TS	

ORIN 25-23-23	BY T. Dean	SIZE	QTY. NO.
SCALE	3/8"=12"	S	877267


WHEEL	RIGHT	STRIDE	FEET	THOMAS BUILT BUSES, INC
LEFT		28.5	27.4	HIGH POINT, NC
LEFT		31.2	29.7	TITLE PLAN AND ELEVATION
RIGHT		28.6	27.7	BODY 340TS
DRN 35-23 BY T. Jamar				DATE 10/2/87
SCALE 3/8"=1'-0"				S 877267

ITEM # TH10
 PROTERRA
 EV BUS
 161 HP
 2500 PTS
 CAPACITY 72
 WHEEL BASE - 279

SEATING CAPACITY: 72 + DRIVER




EV UNIT: NOTE S.T.A.R.S. LOCATIONS



CAUTION - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.

CAUTION - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION. SEE SEATING PLAN.



NOTES
 D200000805 - LS DOOR LOC. NO 5 (10" REAR)

ALL DIMENSIONS ARE FOR REFERENCE ONLY

GENERAL NOTES

1. SOME ITEMS SUCH AS EXTERIOR BODY DECALS, LOGOS, AND OTHER ITEMS ARE SHOWN IN ONE VIEW.
2. THE DRAWING IS A REPRESENTATION OF THE BUS AND MAY NOT BE USED FOR CONSTRUCTION.
3. THE DRAWING IS A REPRESENTATION OF THE BUS AND MAY NOT BE USED FOR CONSTRUCTION.
4. THE DRAWING IS A REPRESENTATION OF THE BUS AND MAY NOT BE USED FOR CONSTRUCTION.
5. THE DRAWING IS A REPRESENTATION OF THE BUS AND MAY NOT BE USED FOR CONSTRUCTION.
6. THE DRAWING IS A REPRESENTATION OF THE BUS AND MAY NOT BE USED FOR CONSTRUCTION.
7. THE DRAWING IS A REPRESENTATION OF THE BUS AND MAY NOT BE USED FOR CONSTRUCTION.
8. THE DRAWING IS A REPRESENTATION OF THE BUS AND MAY NOT BE USED FOR CONSTRUCTION.
9. THE DRAWING IS A REPRESENTATION OF THE BUS AND MAY NOT BE USED FOR CONSTRUCTION.
10. THE DRAWING IS A REPRESENTATION OF THE BUS AND MAY NOT BE USED FOR CONSTRUCTION.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL IS PROHIBITED WITHOUT THE WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC.

THOMAS BUILT BUSES, INC.

PLAN AND ELEVATION
 BODY 340TS

DATE: 11/15/2011


SCALE: 3/8"=1' S 877265

Model: Saf-T-Liner C2
 Quote Number: 398084
 Locality: KY


VIEW	DATE	BY	CHKD	APP'D
LEFT	11/15/2011	J. Smith	J. Smith	J. Smith
RIGHT	11/15/2011	J. Smith	J. Smith	J. Smith

ITEM # TH11
CUMMINS
DIESEL
260 HP
3000 PTS
CAPACITY 78
WHEEL BASE - 212



SEATING CAPACITY: 78 + DRIVER



EQUIPPED WITH 23K SUSPENSION




COLORADO RACKING UNIT



CAUTION - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN

CAUTION - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN



MAXIMUM HEIGHT (SEE NOTE 6)
NOMINAL HEIGHT (SEE NOTE 5)

NOTES:
1. UNITS EQUIPPED WITH HILLYWOOD FLOOR
2. 23K REAR SUSPENSION**

ALL DIMENSIONS ARE FOR REFERENCE ONLY

GENERAL NOTES

1. SOME ITEMS, SUCH AS MIRRORS, BODY LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR REFERENCE.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.
3. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.
4. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.
5. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.
6. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.
7. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.
8. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.
9. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.
10. THE DRAWING IS A REPRESENTATION ONLY AND MAY NOT BE USED FOR CONSTRUCTION.

THIS DRAWING AND ALL INFORMATION PROVIDED HEREIN ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL, IN ANY FORM, WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC., IS STRICTLY PROHIBITED.

THOMAS BUILT BUSES, INC.



PLAN AND ELEVATION
BODY 1408S

877253

Model: MVP-EF
Quote Number: 398077
Locality: KY

VIEW	WHEEL	SPACING	WHEEL
LEFT	25.5	28.0	
LEFT	28.4	28.9	
RIGHT	26.7	25.3	

SEATING CAPACITY: 78 + DRIVER



NOTES:
UNIT EQUIPPED WITH PLYWOOD FLOOR



GENERAL NOTES

1. BACK ITEMS, SUCH AS CAR MIRRORS, WOOD LUGGAGE, TRUCKS, AND OTHER ITEMS, ARE SHOWN IN SIDE VIEW ONLY FOR CLARITY.
2. THE MAXIMUM HEIGHT IS REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS AS REQUIRED.
3. THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF TRUCK AND GROUND IS 10 CM.
4. THE MAXIMUM WIDTH OF TIRE SIZE, BUS, LUGGAGE AND TRUCK IS 10 CM.
5. THE MAXIMUM WIDTH AT BRISTLE OVER DUNNO 1 CM.
6. THE MAXIMUM BUS HEIGHT IS BASED ON A STANDARD 1.80 M TALL ADULT.
7. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS AN AIR-LOCK, STENOGRAPH, ETC.
8. THE MAXIMUM BUS HEIGHT DOES NOT TAKE INTO ACCOUNT THE OPTIONAL 1.80 M TALL ADULT AND THE MAXIMUM OF BUS, SUCH AS MIRRORS, LIGHTS AND OTHER ITEMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUST BUSSES INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART THEREOF WITHOUT WRITTEN PERMISSION OF THOMAS BUST BUSSES INC. IS STRICTLY PROHIBITED. COPYRIGHT © THOMAS BUST BUSSES INC.

THOMAS BUILT BUSES, INC



PLAN AND ELEVATION	140YS
--------------------	-------

BEEL	WOLF	SPACING	STRENGTH
LEF		25.8	28
LEF		26.3	24
RIGHT		27.7	26

DATE 05-24-23	BY T. Dineen	5/26	07/26/23
SCALE 3/8"=1'-0"		S	877252


ITEM # TH13
CUMMINS
DIESEL
280 HP
3000 PTS
CAPACITY 84
WHEEL BASE - 267

SEATING CAPACITY: 84 + DRIVER




EQUIPPED
WITH ALLISON
TRANSMISSION

NOTES
UNIT EQUIPPED WITH PLYWOOD FLOOR



CAUTION - LEFT SIDE BARRIER IS NOT IN
STANDARD LOCATION. SEE SEATING PLAN.
CAUTION! - RIGHT SIDE BARRIER IS NOT IN
STANDARD LOCATION. SEE SEATING PLAN.



ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES

1. SOME ITEMS SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS AND OTHER ITEMS ARE SHOWN IN SIDE VIEW ONLY FOR REFERENCE.
2. THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT MATCH ALL ITEM DIMENSIONS.
3. THE SEATING PLAN IS SHOWN IN THE BOTTOM OF BUS OR BOTTOM OF SIDE VIEW COMPARTMENTS AND GROUND WELLS ARE SHOWN TO THE SIDE. BUS, GOLD AND SAFETY SEATBELT TYPE.
4. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAIL IS 36 IN.
5. THE MAXIMUM BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRE.
6. THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS AIR LINE'S STORAGE LIGHTS AND 15' SUPPLY LINE.
7. TOTAL NUMBER OF DIMENSIONS DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. AND MAY BE USED FOR ANY PURPOSE WITHOUT WRITTEN PERMISSION. THOMAS BUILT BUSES, INC. IS NOT RESPONSIBLE FOR ANY INFORMATION PROVIDED BY OTHER SOURCES.


THOMAS BUILT BUSES, INC.
HIGH POINT, NC

TITLE
PLAN AND ELEVATION
BODY 141YS

DATE 05-28-23 BY T. Dean SIZE 11x17 DWG NO. 877251



Model: Saf-T-Liner HDX
Quote Number: 398075
Locality: KY

VIEW	W.C.H.	SPACING	SEATING
LEFT	26.6	25.1	
LEFT	26.6	25.3	
RIGHT	26.5	25.0	




CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

EQUIPPED WITH 23K SUSPENSION



NOTES:
UNIT EQUIPPED WITH PLYWOOD FLOOR
EFX UNIT
23K REAR SUSPENSION

COLORADO RACKING UNIT



ALL DIMENSIONS ARE
FOR REFERENCE ONLY

GENERAL NOTES

1. SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
2. THE DIMENSION LINE REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED.
3. PLEASE REFER TO ORDER!
4. THE DIMENSION LINE IS BASED ON BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY DEPENDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
5. THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAIL IS 96".
6. THE NOMINAL BUS HEIGHT IS BASED ON A STANDARD BODY AND LARGEST SIZE TIRES.
7. THE MAXIMUM SIZE IS BASED ON BODY WITH OPTIONS SUCH AS AIR UNITS, STROBE LIGHT, LAMP, AND SUSPENSION ETC.
8. "OVER BUMPER" DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.

THOMAS BUILT BUSES, INC.
HIGH POINT, NC

TITLE	PLAN AND ELEVATION BODY 1408S
-------	----------------------------------



DRN:07-10-23	BY:T. Dean	SIZE	DWG. NO.
SCALE 3/8"=1'-2"		S	877253

SIDE	ROW	SPACING
LEFT		29.5
LEFT		28.4
RIGHT		26.7

Program Version: 19.8.29.1


ITEM # TH16
CUMMINS
DIESEL
240 HP
3000 PTS
CAPACITY 78
WHEEL BASE - 267

SEATING CAPACITY: 78 + DRIVER




CAUTION - LEFT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.

CAUTION! - RIGHT SIDE BARRIER IS NOT IN STANDARD LOCATION, SEE SEATING PLAN.



EQUIPPED WITH ALLISON TRANSMISSION

137.0
MAXIMUM HEIGHT (SEE NOTE 6)
127.0
NOMINAL HEIGHT (SEE NOTE 5)



NOTES:
UNIT EQUIPPED WITH PLYWOOD FLOOR

ALL DIMENSIONS ARE FOR REFERENCE ONLY

GENERAL NOTES

- SOME ITEMS, SUCH AS CV MIRRORS, ROOF LUGGAGE RACKS, AND OTHER ITEMS, ARE SHOWN IN ONE VIEW ONLY FOR CLARITY.
- THIS DRAWING IS A REPRESENTATION ONLY AND MAY NOT HAVE ALL ITEMS REQUIRED. PLEASE REFER TO ORDER!
- THE CLEARANCE BETWEEN BOTTOM OF BUS OR BOTTOM OF UNDERBODY COMPARTMENTS AND GROUND WILL VARY ACCORDING TO TIRE SIZE, BUS LOAD, AND SUSPENSION TYPE.
- THE MAXIMUM WIDTH AT BELT LINE OVER GUARD RAILS IS 96".
- THE MAXIMUM BUS HEIGHT IS BASED ON A STANDARD TIRE AND LARGEST SIZE TIRE.
- THE MAXIMUM BUS HEIGHT IS BASED ON BODY WITH OPTIONS SUCH AS A/C UNITS, STROBE LIGHT, LARGEST SUSPENSION ETC.
- OVER BUMPER DIMENSION DOES NOT TAKE INTO ACCOUNT OPTIONS THAT MAY ADD TO THE TOTAL LENGTH OF THE BUS, SUCH AS MIRRORS, LIGHTS AND CROSSING ARMS.

THIS DRAWING AND ALL INFORMATION PROVIDED WITH IT ARE THE PROPERTY OF THOMAS BUILT BUSES, INC. ANY REPRODUCTION OR DISTRIBUTION OF THIS MATERIAL OR ANY PART WITHOUT WRITTEN PERMISSION OF THOMAS BUILT BUSES, INC. IS STRICTLY PROHIBITED. COPYRIGHT THOMAS BUILT BUSES, INC.


THOMAS BUILT BUSES, INC.
HIGH POINT, NC

TITLE
PLAN AND ELEVATION
BODY 140YS

DRN: 05-24-23 BY: T. Dean SIZE DWG. NO.
SCALE 3/8"=12" S 877252

SIDE	ROW	SPACING	KNEE SPACE
LEFT		29.8	28.3
LEFT		26.3	24.8
RIGHT		27.7	26.2

Model: Saf-T-Liner HDX
Quote Number: 398076
Locality: KY



NO UNDERBODY BOXES ALLOWED